



## Cole-Parmer® WB-200 Series Water Baths

- Digital display with timer and temperature settings
- Corrosion-resistant 304 stainless steel tank
- Built-in overtemperature protection
- Supplied with stainless steel gabled cover
- 2-year warranty



# Cole-Parmer® WB-200 Series Water Baths

Use these general-purpose digital water baths for a wide range of laboratory applications. Easily set and view current and set temperatures, timer, and bath status on the large LCD. In the event of a fault, the overtemperature protection system activates the alarm mode turning off all heating elements and lighting a red alarm indicator on the screen. Bath automatically resumes operation once the temperature drops back below the overshoot threshold.

Stainless steel interior and powder-coated steel exterior offer excellent durability. Attached 304 stainless steel gable cover reduces heat loss and ensures uniform temperatures. The built-in timer has a range of 0 to 5999 minutes; delay heating feature can be set to start the cycle when it is convenient for you. An audible alarm sounds intermittently to indicate end of heating cycle.

Perforated bottom plate (included) prevents direct contact with heating elements. Use the optional tube racks to hold various tube sizes in the bath. The number of module spaces listed (see table) determines how many trays fit in each bath. Knobbed handle makes it easy to place or remove the rack. Use the optional holed plates to accommodate flasks in the bath; simply remove the rings to fit flasks from 33 to 92 mm in diameter.

Order optional tube racks and holed plates separately (see next page).



Perforated bottom plate (included)

Capacity	Temperature range	Temperature stability	No. of module widths accepted	Bath opening (W x H x D)	Overall dimensions (W x H x D)	Item weight	Heater	Electrical (VAC, Hz)	Item number
6.6 L	Ambient +5 to 100 °C	±0.2 °C	2*	11 <sup>3</sup> / <sub>16</sub> x 6 <sup>1</sup> / <sub>8</sub> x 5 <sup>15</sup> / <sub>16</sub> in (30 x 15.5 x 15 cm)	18 <sup>15</sup> / <sub>16</sub> x 8 <sup>11</sup> / <sub>16</sub> x 13 <sup>3</sup> / <sub>8</sub> in (48 x 22 x 34 cm)	20 lb (9 kg)	600 W	120, 60	78905-20
								220-240, 50/60	78905-21
11 L	Ambient +5 to 100 °C	±0.2 °C	4	11 <sup>3</sup> / <sub>16</sub> x 9 <sup>7</sup> / <sub>16</sub> x 7 <sup>7</sup> / <sub>8</sub> in (30 x 24 x 20 cm)	18 <sup>15</sup> / <sub>16</sub> x 11 <sup>3</sup> / <sub>16</sub> x 18 <sup>15</sup> / <sub>16</sub> in (48 x 30 x 48 cm)	29 lb (13 kg)	800 W	120, 60	78905-22
								220-240, 50/60	78905-23
27 L	Ambient +5 to 100 °C	±0.2 °C	8	19 <sup>11</sup> / <sub>16</sub> x 11 <sup>5</sup> / <sub>8</sub> x 7 <sup>7</sup> / <sub>8</sub> in (50 x 29.5 x 20 cm)	26 <sup>13</sup> / <sub>16</sub> x 14 <sup>3</sup> / <sub>16</sub> x 15 <sup>3</sup> / <sub>8</sub> in (68 x 36 x 39 cm)	36 lb (16 kg)	1000 W	120, 60	78905-24
								220-240, 50/60	78905-25

\*The 6.6 L models do not accept the 78905-29 tube rack.


# Cole-Parmer® WB-200 Series Water Baths

## Optional Tube Racks

Accommodates	Module width	Fits bath size	Item number
20 x 13 mm diameter tubes	1	6.6, 11, and 27 L	78905-26
20 x 18 mm diameter tubes	1	6.6, 11, and 27 L	78905-27
5 x 31 mm diameter tubes	1	6.6, 11, and 27 L	78905-28
8 x 56 mm diameter tubes	3	11 and 27 L	78905-29

## Optional Holed Flask Racks


Accommodates	Fits bath size	Item number
2 flasks (33 to 92 mm diameter)	6.6 L	78905-30
4 flasks (33 to 92 mm diameter)	11 L	78905-31
8 flasks (33 to 92 mm diameter)	27 L	78905-32




78905-26



78905-27



78905-28




78905-29



78905-30



78905-31



78905-32



**Wolflabs**

# Wolf Laboratories Limited

[www.wolflabs.co.uk](http://www.wolflabs.co.uk)

Tel: 01759 301142

Fax: 01759 301143

[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)



**Use the above details to contact us if this literature doesn't answer all your questions.**

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

