BenchBlotter™ **Benchmark Platform Rocker**



- Gentle mixing (12 rpm and +/- 8° tilt)
- Compact, low profile design
- Dual platform option expands workspace
- Safe for incubator/cold room use

Technical Data

Speed: Fixed at 12 rpm Fixed at 10 rpm (230V)

Tilt Angle:

Platform Size: 30x30 cm / 12x12 in. Non-Skid Rubber Mat Work Surface:

Load Capacity: 2.3 kg/5 lbs. Operating Temp. Range: +4°C to +45°C Dimensions: 34 x 30 x 12 cm 13.5 x 11.8 x 4.7 in.

3 kg/6.5 lb Weight: Warranty: 2 Years

Electrical: 115VAC, 60 Hz, 0.4A 230V AC, 50 Hz, 0.2A

The **BenchBlotter** is the first rocker to be specifically optimized with the ideal rocking speed and tilt angle for blot washing, gel staining/destaining and hybridization applications. Available with an optional dual platform accessory, the BenchBlotter offers a sizeable work space, while maintaining a compact footprint and low profile design.

Lightweight and easy to carry, it can be easily transported from the lab bench to a cold room or incubator.

The large load capacity (7 lbs.), optional dimpled mat for centrifuge tubes and multiple platform tie-down points, make this rocker suitable for a wide variety of general purpose applications.

Ordering Information

BR1000* BenchBlotter Platform Rocker

BR1000-FLAT Non-Skid rubber mat (included)

BR1000-DIMPLED Optional dimpled mat

BR1000-STACK Optional stacking platform, with

flat mat

*To order a product in 230V, please add -230 to item number.





Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.