



## Biowave 3 & Biowave 3+

### WPA Spectrophotometers

The Biowave 3 and 3+ diode array spectrophotometers offer all the benefits associated with the established WPA Biowave range. Predefined life science methods for nucleic acid, protein and microbial culture quantification and analysis, combined with the rapid scanning, kinetics and concentration capabilities, and their compatibility with disposable low volume UV cuvettes have made them a common sight among educational and industrial laboratories alike.

#### Features & Benefits

- UV/Visible spectrophotometer covering 190 to 1100 nm allows you to see more of your sample
- Save data to a USB flash drive so results can be analysed later
- Builds on the success of the WPA Biowave range, with additional protein fluorescent label quantification and substrate applications
- PVC (Print Via Computer) software is included and allows you to transfer data directly from the instrument to your PC
- Optional integrated printer and wireless accessories
- At only 3 Kg, the Biowave 3 and 3+ units are easy to move around, making them ideal for teaching laboratories.

## Technical Specifications

Technical	
<b>Wavelength Range</b>	190 to 1100 nm
<b>Monochromator</b>	Flat grating
<b>Wavelength Calibration</b>	Automatic upon switch on
<b>Beam Height</b>	15 mm
<b>Spectral Bandwidth</b>	5 nm 3 nm for '+' models
<b>Wavelength Accuracy</b>	±2 nm
<b>Wavelength Reproducibility</b>	±1 nm
<b>Light Sources</b>	Xenon flash lamp
<b>Detector</b>	Twin CMOS array
<b>Photometric Range</b>	-0.300 to 2.500 A, 0.3 to 199 %T
<b>Photometric Linearity</b>	±1.3 % or ±0.008 A whichever is greater at 546 nm
<b>Photometric Reproducibility</b>	±0.002 A to 0.5 A at 546 nm
<b>Stray Light</b>	<0.5 %T 340 nm
<b>Stability</b>	±0.01 A/h at 340 nm
<b>Noise</b>	±0.005 peak to peak ±0.002 RMS

## Technical Specifications

Software	
<b>General Laboratory:</b> Single wavelength, Multi wavelength, Concentration, Standard curve/ Wavelength scanning, Kinetics Absorbance ratio	<b>Life Science Laboratory:</b> Nucleic Acid UV quantification, Tm calculation, Protein UV quantification, Protein colorimetry; BSA, Bradford, Lowry and Biuret, Fluorescent label quantification, OD600 microbial culture quantification
<b>Digital Output</b>	USB flash drive, PC via PVC software, Optional: Wireless
<b>Data Export</b>	USB flash drive: .tsv, native PVC format PC via PVC: .csv, .emf, .xlsx, .xls, .rtf, .tsv, native PVC format
<b>Method Storage</b>	90 with PIN number protection
<b>Graphical Display</b>	Yes, zoom and track function
<b>Sample ID</b>	Yes
<b>Languages</b>	English, German, French, Spanish, Italian, Japanese, Chinese
<b>Dimensions</b>	260 × 390 × 100 mm
<b>Weight</b>	3.00 kg

## Ordering Info

Order #	Product
<b>80-3007-32</b>	WPA Biowave 3
<b>80-3007-33</b>	WPA Biowave 3 with Printer
<b>80-3007-34</b>	WPA Biowave 3 Wireless
<b>80-3007-72</b>	IQ/OQ Document

Order #	Product
<b>80-3007-37</b>	WPA Biowave 3+
<b>80-3007-38</b>	WPA Biowave 3+ Wireless with Printer
<b>80-3007-39</b>	WPA Biowave 3+ Wireless
<b>80-3007-40</b>	WPA Biowave 3+ Wireless with Printer





# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.