

## GEL DOCUMENTATION

## TYPICAL APPLICATIONS

Imaging, documentation and analysis of DNA, RNA and Protein gels.

### **EXPERTS IN FLECTROPHORESIS**



### FEATURES / BENEFITS

- 18 Megapixel digital camera with improved high-sensitivity CMOS sensor and processor\*
- Image visualised within a large 8" TFT colour monitor
- Light weight compact hood with easy access door and built-in inner lights
- Safety switches disconnect the UV source when the easy access door is opened
- Computer-free operation
- Available on its own with camera and darkroom, or as a complete gel documentation system with transilluminator, either with or without software
- Transilluminators supplied in single and dual wavelength formats
- Optional TotalLab™ 1D analysis software and wireless memory card

# Gel Documentation microDOC™

Now upgraded with a new 18 megapixel digital camera\*, with improved high-sensitivity CMOS sensor and the latest image processor to guarantee superb resolution, the microDOC™ is the researcher's choice for a simple ultra-compact gel documentation system that meets constraints in both budget and space within the laboratory.

A large 8" TFT screen enables images, including agarose and fluorescent gels, colorimetric gels, autoradiography film and blotting membrane, to be captured in colour, clearly and easily. The system is computer-free and supplied with a 8GB storage card and 55mm ethidium bromide filter as standard, while an optional SYBR filter is also available. Files are saved onto the 8GB storage card in RAW, and JPEG formats and may be transferred to computer for analysis with the highly recommended TotalLab<sup>TM</sup> 1D software.

### Wireless transfer

The new microDOC™ system includes convenient wireless transfer of images to a PC or smart device – no cable connection required.

#### microDOC™ BASIC

The microDOC™ BASIC is a simple low-cost system comprising a lift-off dark room hood and 12.1 megapixel digital camera, through which the gel is viewed directly. This system can be supplied with optional TotalLab™ 1D Analysis Software and any one of our 21x21cm transilluminators.







CSL-MICRODOC

<sup>\*</sup> At the time of publication.

TECHNICAL SPECIFICATIONS				
Camera				
Туре	1/1.7 type CMOS sensor with DIGI6 processor			
Zoom	5x optical / 4x digital			
Effective Pixels	18 megapixels			
Max. Aperture	f/3.5 (W) - f/5.6 (H)			
Shutter Speed	30 - 1/4000s. (total range)			
Filters	+3 Close up and EtBr; optional SYBR green			
Storage Media	4GB memory cardwith built in Wi-Fi			
Computer Interface	Hi-Speed USB (Mini-B compatible)			
Darkroom:				
Multi-Power Source	For camera, inner white LED, TFT screen			
Inner White Light	2x3W LED			
Safety Device	Safety door switch			
Weight	6.1kg			
Dimensions	29x22x32cm			
Diricisions	29X22X32UII			
Voltage Rating	110~220V			
2111011310113				
Voltage Rating				
Voltage Rating Screen	110~220V			
Voltage Rating Screen: Type	110~220V 8" TFT			
Voltage Rating Screen Type Resolution	110~220V 8" TFT 600x800 Pixels			

Camera and screen specification may change.





ORDERING INFORMATION					
Gel Documentation Systems	System only	Including TotalLab 1D Analysis Software			
Compact Gel documentation system	CSL-MICRODOC	CSL-MICRODOC1D			
microDOC™ System with UV Transilluminator (UVT312)	CSL-MDOCUV312	CSL-MDOCUV3121D			
microDOC™ System with UV Transilluminator (UVT254)	CSL-MDOCUV254	CSL-MDOCUV2541D			
microDOC™ System with UV Transilluminator (UVT365)	CSL-MDOCUV365	CSL-MDOCUV3651D			
microDOC™ System with UV Transilluminator (UVT254/312)	CSL-MDOCUV254 /312	CSL-MDOCUV254 /3121D			
microDOC™ System with UV Transilluminator (UVT254/365)	CSL-MDOCUV254 /365	CSL-MDOCUV254 /3651D			
microDOC™ System with UV Transilluminator (UVT312/365)	CSL-MDOCUV312 /365	CSL-MDOCUV312 /3651D			
microDOC™ Basic System with lift-off dark room hood and camera only	CSL-MDOCBASIC	CSL-MDOCBASIC1D			
microDOC™ System for protein gels	CSL-MDOCWLPRO	CSL-MDOCWLB1D			
microDOC™ Basic System for protein gels	CSL- MDOCBASICWLB	CSL- MDOCBASICWLB1D			
microDOCTM System for Colony Counting (includes Totalab Quant software)	CSL-MDOCCOL				
microDOCTM Basic System for Colony Counting (includes Totalab Quant software)	CSL- MDOCBASICCOL				
Accessories					
MicroDOC™ ethidium bromide filter	CSL-MDOCEB				
MicroDOC™ SYBR filter	CSL-MDOCSBRG				
UV to white light conversion screen for transilluminator for protein gels	CSL-UVSCRN				
White light box for Micro doc for protein gels	CSL-MDOCWLB				
Optional 4GB wireless memory card	CSL-MDOC-WIFI				

Distributor	



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

### www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.