

# Cole-Parmer®

## Cole-Parmer® Portable Magnetic Stirrer, ST-200

- Battery powered or mains supply
- Tough, compact and light weight
- Variable speed up to 1300rpm



# Cole-Parmer® Portable Magnetic Stirrer, ST-200

Cole-Parmer® ST-200 portable, magnetic stirrer, powered by long life batteries or mains power this rugged little unit can be used almost anywhere. Ideal for use inside incubators, glove boxes or in the field.

Housed in a tough, chemically resistant ABS case and supplied complete with batteries. Operating indicator will dim when batteries run low.



## Technical Specification

Specification	ST-200
Max speed, rpm	1300
Capacity, litres H <sub>2</sub> O	1.5
Dimensions, mm (w x d x h)	150 x 160 x 70
Net weight, kg	1.3
Electricity supply	4 x alkaline batteries or 230V, 50Hz
Battery type	1.5V, size D, IEC No. LR20
Battery life	600 hours continuous use
IP rating	41

## Ordering Information

Description	Ordering Number	Series No.	Model No.	Legacy Sku.
Portable magnetic stirrer complete with 4 x LR20 batteries and 25mm PTFE stir bar	04801-05	ST-200	ST-200-P	SM27
Mains adapter, 9V a.c. for 230V, 50Hz supply with UK plug	04801-69	ST-200	N/A	SM27/1
Mains adapter, 9V a.c. for 230V, 50Hz supply with European 2 pin plug	04801-71	ST-200	N/A	SM27/2
Car battery adapter, 12V, Fitted with standard car cigarette/cigar plug	04801-73	ST-200	N/A	SM27/3



**Wolflabs**

# Wolf Laboratories Limited

[www.wolflabs.co.uk](http://www.wolflabs.co.uk)

Tel: 01759 301142

Fax: 01759 301143

[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)



**Use the above details to contact us if this literature doesn't answer all your questions.**

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

