

**Cole-Parmer**<sup>®</sup>  
stuart<sup>™</sup>

## Cole-Parmer<sup>®</sup> Stuart<sup>™</sup> Water Stills WS-200-4

- All glass construction
- Two independent safety thermostats
- Safety reservoir full shut off
- Wall mountable



# Cole-Parmer® Stuart™ Water Stills WS-200-4



The WS-200-4 Water Still ensures top-purity distillate at an economical price for your lab. The all-glass construction with silica sheathed heaters and built-in controls switch off device when the collection reservoir is full, allowing you to always maintain quality and prevent overflow even when the still is left unattended.

Two independent safety thermostats prevent over heating in the event of a water supply interruption, while the screw-threads incorporated connections allow for hoses to be fitted and removed easily and safely without risk of breakage.

## Technical Specification

Specification	WS-200-4
Output	4 litres/hr, single distilled
pH	5.0 – 6.5
Conductivity, $\mu\text{Scm}^{-1}$	1.0 – 2.0
Resistivity, $\text{mOhm}\cdot\text{cm}$	0.5 – 1.0
Temperature	25 - 35 C
Pyrogen content*	Pyrogen free
Water supply	1 l/min 3-100psi (20-700kPa)
Electrical supply	220 or 240V, 50-60Hz, single
Power requirement	3kW
Dimensions, mm (w x d x h)	540 x 160 x 410
IP Rating	31

*NB: Conductivity and resistivity are affected by the presence of dissolved carbon dioxide in water. All figures given are based on tests carried out free from carbon dioxide at 20°C.*

*\*Care is required to produce pyrogen free water and the output should be tested before use.*

## Ordering Information

Description	Ordering Number	Series No.	Model No.	Legacy Sku.
D4000 Water Still 240V	99295-00	WS-200	WS-200-4	D4000
D4000 Water Still 220V	99295-01	WS-200	WS-200-4-220	D4000/EURO



# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.