

## Eppendorf ThermoMixer® F

eppendorf

The fixed-block Eppendorf ThermoMixer® F family offers the user the perfect solution for their special application. F0.5/F1.5/F2.0 and FP have a fixed block for 0.5/1.5/2.0mL tubes and plates, respectively.

- Outstanding <sup>2D</sup>Mix-Control technology results in excellent mixing performance
- Anti-spill technology prevents lid wetting and cross-contamination
- Compatible with Eppendorf ThermoTop® *condens.protect*® for condensation-free sample handling
- Predefined temperature keys (37°C, 42°C, 56°C and 95°C)
- Very fast heat up speed reduces waiting time
- Eppendorf PhysioCare Concept® provides ergonomic design and operation
- Temperature range: min 4°C above RT, max 100°C



Code	Model	For use with	Speed Range, RPM	Heating Rate, °C/min	Dims, w x d x h, mm	Weight, kg	Price
E5386000036	F0.5	24 x 0.5mL tubes	300 - 2000	15	206 x 304 x 163	6.2	£2233.00
E5384000039	F1.5	24 x 1.5mL tubes	300 - 1500	11	206 x 304 x 170	6.3	£2178.00
E5387000030	F2.0	24 x 2.0mL tubes	300 - 1500	13	206 x 304 x 170	6.3	£2178.00
E5385000032	FP	Micro/deepwell plates	300 - 2000	18	206 x 304 x 164	6.1	£2326.00

## Eppendorf ThermoMixer® C

eppendorf

Combines excellent mixing performance with excellent temperature control to guarantee complete, dependable and reproducible test results.

- Mixing, heating, and cooling in one instrument for high flexibility
- All common vessels and plate formats from 5µL to 50mL by different Eppendorf SmartBlocks for standard applications
- Excellent <sup>2D</sup>Mix-Control technology results in excellent sample mixing
- Anti-spill technology prevents lid wetting and cross-contamination
- Mixing frequency from 300 to 3,000RPM for effective sample mixing
- Compatible with Eppendorf ThermoTop® (*condens.protect*®) for condensation-free sample handling (for Eppendorf SmartBlocks up to 2.0mL)
- Predefined program keys and clearly arranged menu guides enable simple and intuitive operations
- Temperature range: 15°C below RT to 100°C (depending on SmartBlock used)
- 15s to 99.3h or continuous timer
- Supplied as ThermoMixer only, thermoblock not included




Code	Speed Range, RPM	Orbit, mm	Heating Rate, °C/min	Cooling Rate, °C/min	Dims, w x d x h, mm	Price
E5382000031	300 - 3000	3	7*	2.5	206 x 304 x 136	£2278.00

\* When using SmartBlock plates

## Request our new chemicals catalogue

Get in touch with a member of the team or visit [scientificlabs.co.uk/literature](http://scientificlabs.co.uk/literature) to request your copy of our new chemicals catalogue.

Email: [slsinfo@scientific-labs.com](mailto:slsinfo@scientific-labs.com)  
Tel: 0115 982 1111





# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.