



Product Code: FSL400H

Slimline 400 Litre Upright Refrigerated Cabinet



Features & Benefits

- Quality commercial refrigeration with a 600mm width and small footprint - ideal where space is at a premium in the kitchen
- Robust stainless steel exterior finish with 304 stainless steel door
- Forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- When space is a prime concern, Slimline Cabinets provide the ideal storage solution
- LED electronic temperature display for accurate control and clear visual reference

Shelving

Nylon Coated Shelf Option

Refrigeration

R290 - Energy Efficient Standard

R134a - Industry Standard Option

Integral Refrigeration System Standard

Finish

s/steel ext, 304 s/s door & alu
int Standard

Base Fittings

Remote Refrigeration System Option

Castors 80mm Standard

Electrical & Service Data

230/50/1 Standard

Fuse Required (A) 10

Refrigerant Charge (kg) 0.310

Energy

kWh (24 hours) 1.54

AEC 560.94

Nett Volume 254.7

Energy Grade D

Global Warming Potential 1430

Energy Efficiency Index 54.60

Doors

Solid Standard

Left Hand Hinged Door Option

Specification

Refrigerator +1/+4°C Standard

Width (mm) 600

Depth (mm) 705

Height (mm) 1900

Unpacked weight (Kgs) 86

Packed weight (Kgs) 99.41

Gross Volume (Ltr) 400

Noise dBA @ 1m TBC

Footnotes

- Bottom mounted system draws air from the cooler part of the kitchen ensuring lower running costs
- Forced air refrigeration for efficient operation, even temperature distribution and fast recovery
- Automatic Defrost for hassle-free operation
- Electronic temperature display for accurate control
- Delivers the reliability and performance you would expect from a Foster at a highly competitive price



Application

This appliance is intended for use in ambient temperatures up to 40°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.