

## CPS-20, CO<sub>2</sub> Shaker

### DESCRIPTION

Grant **CPS-20** CO<sub>2</sub> Shaker provides regulated orbital motion of the platform and is designed for use specifically in CO<sub>2</sub> incubators. CPS-20 is specifically designed for use in harsh environments such as CO<sub>2</sub> and humidity and provides reproducible results for cell culture growth. A choice of 5 interchangeable platforms provides the possibility of performing various procedures and techniques in various cultivation vessels. The specially designed remote controller allows for protection of electronics from CO<sub>2</sub> incubator environment, as well as, does not interfere with the experiment.

CPS-20 incorporates a brush-less motor with a guaranteed service life up to 35,000 hours. The unit is equipped with a triple eccentric mechanism for platform motion that provides supreme balancing characteristics, superior reliability and quiet operation. Typical applications include eukaryotic cells cultivation.



### SPECIFICATIONS

Speed control range	50 - 250* RPM (increment 10 rpm) *max. speed depends on the load and vessels' shape
Digital time setting	1 min–96 hrs / non–stop
Digital speed control	+
Maximum continuous operation time	168 hr
Orbit	20 mm
Maximum load	3 kg
Overall dimensions (W×D×H)	255x255x100 mm
Weight	3.4 kg
Input current/power consumption	12 V, 470 mA / 5.7 W
External power supply	Input AC 100–240 V; 50/60 Hz; Output DC 12 V

## ACCESSORIES



### PUP-12

Platform universal flat-bed 3 adjustable bars to hold flasks, beakers, bottles 270 x 195 x 40mm, with silicone mat.



### BIO-PP-4

Platform flat non-slip mat 230 x 230mm



### P12-100

Platform with spring clamps for 12 x 100-150ml flasks



### P6-250

Platform with spring clamps for 6 x 250-300ml flasks



### P16-88

Platform with spring holders for 88 tubes up to 30mm



### HB-200

Additional holding bar for UP-12



# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.