

Intelligent Protection of Life Science

**Combined Refrigerator** 

and Freezer

HYCD-282







# Refrigerator & Freezer Combination

Independent display for refrigerator section and freezer section



#### **Alarm Functions**

High/low temperature, power failure, senor error, low battery, high/low ambient temperature, and remote alarm



### Standard Stainless Steel Interior

Both refrigerator and freezer chamber are stainless steel interior, durable, easy to clean and anti-corrosion

## **Ergonomic Design**



Lockable design



Intelligent alarm



Foot/Caster design



Test hole design

# **Specifications**

# HYCD-282

#### **Technical Data**

Туре	Combined Refrigerator and Freezer
Cabinet Type	Upright
Climate Class	4
Cooling Type	Refrigerator: Forced air cooling Freezer: Direct cooling
Defrost Mode	Refrigerator: Auto Freezer: Manual
Refrigerant	CFC-Free
Noise Level (dB(A))	43

#### Performance

Temperature Range( $^{\circ}$ C)	Refrigerator: 2~8 Freezer: -20~-40	
----------------------------------	---------------------------------------	--

#### Control

Controller	Microprocessor
Display	LED

#### **Electrical Data**

Power Supply(V/Hz)	220~240/50
Power(W)	400
Electrical Current(A)	2.8

#### Dimensions

Capacity(L/Cu.Ft)	Refrigerator:185/6.5 Freezer:97/	73.4
Net/Gross Weight(approx)	145/160(kg)	319.7/352.7(lbs)
Interior Dimensions(W*D*H)	Refrigerator:605*510*720(mm) Freezer:515*465*440(mm)	23.8*20.0*28.3(in) 20.3*18.3*17.3(in)
Exterior Dimensions(W*D*H)	736*660*1810(mm)	29.0*26.0*71.3(in)
Packing Dimensions(W*D*H)	775*720*1930(mm)	30.5*28.3*76(in)
Container load (20'/40'/40'H)	21/45/45	



#### **Functions**

High/Low Temperature	Υ	
Remote Alarm	Υ	
Power Failure	Υ	
Sensor Error	Υ	
Low Battery	Υ	
High Ambient Temp	Υ	

#### Accessories

Caster	Υ
Foot	Υ
Test Hole	Υ
Shelves/Drawers	Refrigerator: 3/1 Freezer: 0/2
USB Interface	Υ

#### Others

Certificate	CE



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

# www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.