Haier Biomedical Intelligent Protection of Life Science

Pharmacy Refrigerators HYC-390F



Air Cooling, Auto Defrost Better cabinet temperature uniformity, auto defrost



Adjustable Shelves The shelves are adjustable to any height to fulfill different requirements

USB Interface Data of tamycheightstorfulfillediffielpantd via the built-in USB port and optional printer design



Self Closing Door with 90°Stay Open Feature

Energy conserving, maintains temperature uniformity to protect valuable samples

Ergonomic Design



1

High Accuracy Temperature Control

Interior LED ſ

Lockable Design

Specifications HYC-390F

Technical Data

Cabinet Type	Upright, single solid door
Climate Class	Ν
Cooling Type	Forced air cooling
Defrost Mode	Auto
Refrigerant	CFC-Free
Noise((dB(A))	43

Performance

Temp Range(°C)

Control

Controller	Microprocessor
Display	LED

2~8

Electrical Data

Power Supply(V/Hz)	220-240/50/60
Power(W)	300
Electrical Current(A)	2.4

Dimensions

Capacity(L/Cu.Ft)	390/13.8
Net/Gross Weight(approx)	106/129(kg) 233.7/284.4(lbs)
Interior Dimensions(W*D*H)	530*555*1380(mm) 20.9*21.9*54.3(in)
Exterior Dimensions(W*D*H)	665*710*1965(mm) 26.2*28.0*77.4(in)
Packing Dimensions(W*D*H)	735*800*2100(mm) 28.9*31.5*82.7(in)
Container Load(20'/40'/40'H)	21/42/42



Functions

High/Low Temp	Y	
Remote System	Y	
Power Failure	Y	
Sensor Error	Y	
Low Battery	Y	
Door Ajar	Y	

Accessories

Caster	Y
Foot	Y
Test Hole	Y
Shelves /Basket	7/-
USB Interface	Y

Others

Certificate

CE,UL



Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.