

Pharmacy Refrigerators HYC-940F



Ergonomic Design



High Accuracy
Temperature Control



Interior
LED



Lockable
Design



Five Alarm Functions

High/low temperature, power failure, sensor error,
low battery, door ajar



Air Cooling, Auto Defrost

Better cabinet temperature uniformity,
auto defrost



Adjustable Shelves

The shelves are adjustable to any height to
fulfill different requirements



Self Closing Door

Energy conserving, maintains temperature
uniformity to protect valuable samples

Specifications

HYC-940F

Technical Data

Cabinet Type	Upright, double solid door
Climate Class	N
Cooling Type	Forced air cooling
Defrost Mode	Auto
Refrigerant	CFC-Free
Noise((dB(A))	45

Performance

Temp Range(°C)	2~8
----------------	-----

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/Hz)	220-240/50
Power(W)	600
Electrical Current(A)	3

Dimensions

Capacity(L/Cu.Ft)	890/31.4
Net/Gross Weight(approx)	207/259(kg) 456.4/571.0(lbs)
Interior Dimensions(W*D*H)	1030*590*1425(mm) 40.6*23.2*56.1(in)
Exterior Dimensions(W*D*H)	1130*755*1980(mm) 44.5*29.7*78.0(in)
Packing Dimensions(W*D*H)	1250*850*2130(mm) 49.2*33.5*83.9(in)
Container Load(20'/40'/40'H)	8/18/18



Functions

High/Low Temp	Y
Remote System	Y
Power Failure	Y
Sensor Error	Y
Low Battery	Y
Door Ajar	Y

Accessories

Caster	Y
Foot	Y
Test Hole	Y
Shelves /Basket	12/-
USB Interface	Optional

Others

Certificate	CE
-------------	----



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.