



# HI-50012-02 PH 12.00 TECHNICAL BUFFER SOLUTION (±0.01 PH), 25 X 20ML SACHETS

Reference: HI-50012-02

Designed and manufactured for those requiring a greater spectrum, as well as increased accuracy to readings, Hanna manufactures a Technical Buffer solution range that shares the accuracy of standard buffers and features 20 pH levels.

- ✓ Accuracy: +/- 0.01pH @ 25∘C
- ✓ Certificate of Analysis

| SPECIFICATION           |             |
|-------------------------|-------------|
| pH value at 25°C        | 12.00       |
| Code                    | HI-50012-02 |
| Package                 | 20ml x 25   |
| Certificate of Analysis | Yes         |

#### **FULL DESCRIPTION**

From pH1.00 through to pH13.00, effectively covering every point on the pH scale, Technical Buffer Solutions are available in 500ml, 1 litre, 1 Gallon\*, and handy 20ml sachets in packs of 10 or 25 for on-site or field use. The sachet single dose is safe, easy to carry and remains fresh.

Technical buffer solutions come with a certificate of analysis on purchase.

\*One Gallon, colour-coded bottles are available in pH 4.01, pH7.01 and 10.01.

# HI-50012-02 pH12.00 Technical Buffer Solution, 25 x 20ml sachets

HI-50012-02 is a premium quality pH 12.00 Technical buffer solution, National Institute of Standards and Technology (NIST) traceable and supplied with a Certificate of Analysis.

The pH 12.00 buffer is ideal for those requiring an accurate alkaline reading, particularly suitable for those working in water purification plants, the food industry, the medical industry, aquatics, and Hydroponics, and in any environments where the pH is expected to be alkaline.

The single dose sachets are really handy with each sealed sachet holding just the right amount of solution. Each time a meter or electrode is calibrated using a Hanna sachet, it is like using a newly opened bottle of solution!

## **Benefits of individual packaging**

- Ideal for users who do not calibrate frequently
- Ideal for field use due to portability
- Every sachet is as fresh as the day it was packaged
- Light block packaging prevents oxidation from UV light that could alter the buffer value.

Buffer solutions should be stored at 25 C, away from direct sunlight for accurate readings.

To correctly maintain your meter/electrode, we highly recommend use of a Hanna cleaning solution, as well as a buffer, for maximum performance every time.

Hanna buffer solutions are prepared, ready-to-use, according to precise formulas and standardised in accordance with the National Institute of Standards and Technology (NIST) to ensure quality and accuracy. All solutions show a batch number, an expiry date, and the correlation table between pH and temperature. All bottled solutions are sealed with an air tight, tamper-proof seal to prevent any Carbon Dioxide from entering and causing a change in the pH buffer value.

## Browse the Hanna complete range of solutions

- pH buffer solutions
- Standard solutions for conductivity, Total Dissolved Solids (TDS), turbidity, salinity and Ion-Selective Electrode (ISE) calibration
- Oxidation Reduction Potential (ORP) test and pre-treatment solutions

- Reference fill solutions for refillable electrodes
- General and specific cleaning solutions for electrodes
- Solutions for electrode maintenance and storage
- Solutions for sample preparation

Solutions are available in many sizes ranging from 20ml sachets for small users to 3.78L (1 gallon) containers for large quantity usage in laboratories.

For safety and traceability, all Hanna solutions are provided with a label showing the batch number and expiry date. A certificate of analysis is available on request in line with NIST standards.

#### Remember:

- Calibration only counts when using fresh solutions and properly cleaned electrodes every time.
- Routine maintenance will ensure accurate readings while extending the life of the electrode.



Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

## www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.