



Mini MR standard

/// Data Sheet

Small magnetic stirrer without heating.

- For stirring quantities up to 1.000 ml (H2O)
- Infinitely variable speed from 0 2.500 rpm
- White set-up plate suitable for observing color reactions



Technical Data

| Number of stirring positions | 1 | |
|--|----------------|--|
| Stirring quantity max. per stirring position (H2O) [I] | 1 | |
| Motor rating output [W] | 2 | |
| Direction of rotation | right | |
| Speed control | Turning knob | |
| Speed range [rpm] | 0 - 2500 | |
| Stirring bar length [mm] | 20 - 40 | |
| Set-up plate material | polyester | |
| Set-up plate dimensions [mm] | 115 x 115 | |
| Dimensions (W x H x D) [mm] | 115 x 37 x 129 | |
| Weight [kg] | 0.22 | |
| Permissible ambient temperature [°C] | 5 - 40 | |
| Permissible relative humidity [%] | 80 | |
| Protection class according to DIN EN 60529 | IP 42 | |
| Voltage [V] | 100 - 240 | |
| Frequency [Hz] | 50/60 | |
| Power input [W] | 3 | |
| DC Voltage [V=] | 12 | |
| Current consumption [mA] | 300 | |



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.