

### **OV4 Series Vacuum Ovens**

With a temperature range of up to 250°C, the OV4 Series Vacuum Ovens are suitable for various test applications (e.g. agricultural genetics, drying of plant tissue, drug metabolism) and optimally constructed to separate solvents from solutions or dry solvents with high boiling points.

Each vacuum oven comes with microprocessor PID control, temperature calibration, dual wait on/off timer modes (1 min. to 99 hr. 59 min.) with automatic tuning.

Safety features include a keypad lock function to prevent accidental changes during operation, automatic run after power interruption and over-temperature and over-current protection.



#### **Features**

- Temperature variation up to ±1.5 °C at 100 °C according to DIN 12880:2007standards
- Outer surfaces remain safe to touch even whilst operating at the highest temperature, preventing possible burns when viewing samples via the inspection window
- 5inch color touch display for intuitive operation
- 3-point temperature calibration improves temperature accuracy in the entire area.
- Monitor and control via mobile app anytime, anywhere via LC Connected. (mobile monitoring system) - Optional
- Polycarbonate safety cover provided to protect a user in case of tempered glass breakage

# **Specifications**

Model	OV430	OV4-65
Product Code	AAH13315K	AAH13325K
Chamber Volume (L)	28	65
No. of Shelves (standard / max)	2/3	3 / 4
Maximum load per shelf (Kg)	20	
Vacuum Range (MPa)	0 to 0.1	
Temperature Range (°C)	Amb. +15 to 250	
Fluctuation at 100°C	± 0.1	± 0.3
Variation at 100°C	± 1.5	
Internal Dimensions (W x D x H) mm	302 × 305 × 302	402 × 405 × 402
External Dimensions (W x D x H) mm	537 × 522 × 655	636 × 622 × 755
Net Weight (Kg)	69	110

### **Accessories**

- Silicon Gaskets
- Viton Gaskets
- Safety Covers
- LC 'mobiel control' Greenbox
- Vacuum Pumps



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

## www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.