KERN **KDP 3000-2**



Universal weighing platforms for flexible connection in process chains



Category	
Brand	KERN
Product categoriy	Component
Product group	Digital platform
Product family	KDP

Measuring System	
Weighing system	Strain gauge
Weighing capacity [Max]	3,5 kg
Readability [d]	10 mg
Reproducibility	20 mg
Linearity	± 50 mg
Resolution	350.000
Adjustment options	Adjusting with external weight
Recommended adjusting weight	3 kg (F1)
Stabilization time	3 s
Warm-up time	120 min
Eccentric loading at 1/3 [Max]	50 mg
Maximum creep (15 minutes)	100 mg
Maximum creep (30 minutes)	200 mg
Default unit	g

Construction	
Dimension housing (W×D×H)	165×166×75 mm
Dimensions completely mounted (W×D×H)	165×166×75 mm
Dimension display device (W×D×H)	0×0×0 mm
Dimensions weighing surface (W×D)	160×160 mm
Dimensions weighing surface	160×160 mm

165×165×73 mm
stainless steel
Plastics
No display available
✓
✓
1,2 m
1,5 m

Functions	
IP protection - display	no IP protection
Auto-off interval(s) in mains power mode	off

Interface	
Interfaces	Ethernet (optional, factory) WiFi (optional, factory) Bluetooth BLE (v4.0) (optional, factory) USB-Device
EasyTouch (ET) - Compatibility	vollständig
EasyTouch (ET) - Connection type	über alle verfügbare Schnittstellen möglich

Power Supply	
Supplied power supply	Power supply unit
Plug-in power supply type	USB including power supply
Plug-in power supply / adapter for countries - included with the delivery	EURO UK US CH
Input voltage power supply / power [Max]	100 V - 240 V, 50 / 60 Hz
Input voltage device / power [Max]	5 V, 1 A

Environmental conditions		
Ambient temperature [Min]	5 °C	
Ambient temperature [Max]	35 °C	
Humity of environment [Max]	80 %	
Approval		
CE mark	<i></i>	-

Services (optional)	
Article number for DAkkS calibration	963-127

1

KERN KDP 3000-2



Universal weighing platforms for flexible connection in process chains

Article number for certificate of conformity (verification)

969-517

Packing & Shipping	
Delivery time	1 d
Dimensions packaging (W×D×H)	250×355×160 mm
Shipping method	Parcel service
Net weight approx.	1,6 kg
Gross weight approx.	2,2 kg
Shipping weight	2,8 kg

Pictograms

STANDARD













OPTION





FACTORY









Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.