









Fully Adjustable shelves



Door Lock



Access Port

Digital Microprocessor Controller

Labcold Cooled Incubators are also available in 88 litre, 150 litre and 600 litre capacity

Most models have the choice of glass or solid door

RLCG01503 Glass Door Refrigerated Cooled Incubator

This 150 litre cooled incubator is ideal for microbiology or any application where precise and consistent temperatures at or below room temperature are required.

With a robust painted steel exterior and powder coated steel interior and fully adjustable shelves, this incubator is versatile and built to last with a temperature uniformity of better than $\pm 0.5^{\circ}$ C at 4°C and $\pm 1^{\circ}$ C at 20°C

This model is also available with a solid door, please see **Labcold** model RLSD01503.

Part Number	RLCG01503
Capacity (Litres)	150
Style	Underbench
Exterior Dimensions (HxWxD)	835 x 600 x 600mm
Interior Dimensions (HxWxD)	690 x 480 x 410mm
Weight	54kg
Energy Consumption	TBC kWh/24hr
Operating Temperature	+5°C to +40°C
Interior Construction	Powder Coated Steel
Exterior Construction	Enamelled Steel
Door Style	Glass
Door Hinging	Right
Lock	Manual Key
Shelves	3
Shelf dimension (WxD)	2 x 475 x 385mm 1 x 475 x 245mm
Spare shelves available	\checkmark
Internal Light	\checkmark
Temperature display	\checkmark
Microprocessor controlled temperature regulation	√
Fan assisted temperature control	✓
Access Port	\checkmark
Auto Defrost	X







Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.