







Door Lock



Digital Microprocessor Controller

Labcold Cooled Incubators are also available in 88 litre, 150 litre and 600 litre capacity

Most models have the choice of glass or solid door

RLCG03401 Glass door Refrigerated Cooled Incubator

This 340 litre cooled incubator is ideal for microbiology or any application where precise and consistent temperatures at or below room temperature are required.

With a robust painted steel interior and exterior and fully adjustable shelves, this incubator is versatile and built to last with a temperature uniformity of better than ± 0.5 °C at 4°C and ± 1 °C at 20°C.

This model is also available with a solid door, please see **Labcold** model RLSD03401

| Part Number | RLCG03401 |
|---|----------------------------|
| Capacity (Litres) | 340 |
| Style | Freestanding |
| Exterior Dimensions (HxWxD) | 1510 x 600 x 700mm |
| Interior Dimensions (HxWxD) | 1360 x 500 x 400mm |
| Weight | 91kg |
| Energy Consumption | TBC |
| Operating Temperature | +5°C to +40°C |
| Interior Construction | Powder Coated Aluminium |
| Exterior Construction | Enamelled Steel |
| Door Style | Glass |
| Door Hinging | Right |
| Lock | Manual Key |
| Shelves | 3 |
| Shelf dimensions (WxD) | 475 x 470mm |
| Temperature display | \checkmark |
| Microprocessor controlled temperature regulation | \checkmark |
| Fan assisted temperature control | \checkmark |
| Access Port | \checkmark |
| Auto Defrost | X |
| 1 year UK parts and labour warranty | \checkmark |







Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.