



Multi-Purpose & Specialty Clamps



A LabJaws Clamp for Every Application - Choose From Over 85 Options to Hold Everything In Your Lab

LabJaws Clamps are designed to securely grip and position laboratory apparatus. Extension arm clamps with 360° rotation allow placement of apparatus at various distances from lab-frames and are easily secured with optional holders. Swivel, fixed position and thermometer clamps easily hold apparatus near the lab-frame or stand, and have a built-in holder for simple attachment to lab-frames or apparatus. Flow control clamps available in 7 styles.

Standard Features:

- **Choice of Stainless Steel or Zinc to best Suit Your Application**
Corrosion-resistant stainless steel clamps provide excellent chemical resistance, durability, and can be autoclaved. Nickel-plated zinc clamps offer high-tensile strength at an economical price.
- **Secure Any Glassware and Apparatus with Sturdy 2 and 3 Prong Clamps**
Prevent accidents in the lab - versatile multi-purpose LabJaws clamps securely hold glassware and irregularly-shaped objects. Select from a variety of grip sizes, prong styles and adjustment types.
- **Specially Designed Clamps for a Precise Fit**
Choose from a variety of specialized LabJaws clamps with adjustable features to provide an exact fit for labware such as thermometers, thermocouples, columns, funnels and round bottom flasks.

Multi-Purpose Clamps*

Material Number	Clamp Description	Clamp Style	Material	Grip Range (mm)	Size	Arm Length (mm)	Length (mm)	Arm Diameter (mm)	Photo
30392254	Multi Purpose, CLM-ULTRA3SZS	3-Prong Single Adjust	Nickel plated Zinc	0 mm–23 mm	Small	102 mm	162 mm	8 mm	
30392252	Multi Purpose, CLM-ULTRA3SZM	3-Prong Single Adjust	Nickel plated Zinc	0 mm–50 mm	Medium	127 mm	229 mm	11 mm	
30392250	Multi Purpose, CLM-ULTRA3SZL	3-Prong Single Adjust	Nickel plated Zinc	0 mm–72 mm	Large	127 mm	260 mm	11 mm	
30392253	Multi Purpose, CLM-ULTRA3DZS	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–32 mm	Small	102 mm	152 mm	8 mm	
30392251	Multi Purpose, CLM-ULTRA3DZM	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–70 mm	Medium	127 mm	222 mm	11 mm	
30392249	Multi Purpose, CLM-ULTRA3DZL	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–103 mm	Large	127 mm	260 mm	11 mm	
30392354	Multi Purpose, CLM-MULTI3DSS	3-Prong Dual Adjust	Stainless Steel	0 mm–48 mm	Small	102 mm	172 mm	10 mm	
30392353	Multi Purpose, CLM-MULTI3DSM	3-Prong Dual Adjust	Stainless Steel	0 mm–69 mm	Medium	127 mm	229 mm	13 mm	
30392352	Multi Purpose, CLM-MULTI3DSL	3-Prong Dual Adjust	Stainless Steel	0 mm–102 mm	Large	127 mm	273 mm	13 mm	
30392205	Multi Purpose, CLM-MULTI3SZS	3-Prong Single Adjust	Nickel plated Zinc	0 mm–39 mm	Small	102 mm	160 mm	8 mm	
30392203	Multi Purpose, CLM-MULTI3SZM	3-Prong Single Adjust	Nickel plated Zinc	0 mm–71 mm	Medium	127 mm	218 mm	11 mm	
30392200	Multi Purpose, CLM-MULTI3SZL	3-Prong Single Adjust	Nickel plated Zinc	0 mm–108 mm	Large	127 mm	248 mm	11 mm	
30392204	Multi Purpose, CLM-MULTI3DZS	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–46 mm	Small	102 mm	168 mm	8 mm	
30392201	Multi Purpose, CLM-MULTI3DZM	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–69 mm	Medium	127 mm	229 mm	11 mm	
30392202	Multi Purpose, CLM-MLTEX3DZM	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–69 mm	Medium	305 mm	406 mm	13 mm	
30392198	Multi Purpose, CLM-MULTI3DZL	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–105 mm	Large	127 mm	273 mm	11 mm	
30392199	Multi Purpose, CLM-MLTEX3DZL	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–105 mm	Large	305 mm	451 mm	13 mm	


*Unless noted with an asterisk, an additional holder is required to attach clamps to lab-frames and other apparatus

Multi-Purpose Clamps*


Material Number	Material Description	Clamp Style	Material	Grip Range (mm)	Size	Arm Length (mm)	Length (mm)	Arm Diameter (mm)	Photo
30392208	Multi Purpose, CLM-MULTI2SZM	2-Prong Single Adjust	Nickel plated Zinc	0 mm–78 mm	Medium	127 mm	216 mm	11 mm	
30392206	Multi Purpose, CLM-MULTI2SZL	2-Prong Single Adjust	Nickel plated Zinc	0 mm–92 mm	Large	127 mm	229 mm	11 mm	
30392220	Multi Purpose, CLM-MULTI2DSM	2-Prong Dual Adjust	Stainless Steel	0 mm–75 mm	Medium	127 mm	229 mm	11 mm	
30392209	Multi Purpose, CLM-MULTI2DZM	2-Prong Dual Adjust	Nickel plated Zinc	0 mm–75 mm	Medium	127 mm	229 mm	11 mm	
30392223	Multi Purpose, CLM-MULTI2DSL	2-Prong Dual Adjust	Stainless Steel	0 mm–95 mm	Large	127 mm	248 mm	11 mm	
30392207	Multi Purpose, CLM-MULTI2DZL	2-Prong Dual Adjust	Nickel plated Zinc	0 mm–95 mm	Large	127 mm	248 mm	11 mm	
30392226	Multi Purpose, CLM-SWIVL2SSM	2-Prong Single Adjust	Stainless Steel	0 mm–76 mm	Medium		163 mm		
30392215	Multi Purpose, CLM-SWIVL2SZM	2-Prong Single Adjust	Nickel plated Zinc	0 mm–76 mm	Medium		163 mm		
30392216*	Multi Purpose, CLM-SWIVL2SZL	2-Prong Single Adjust	Nickel plated Zinc	0 mm–95 mm	Large		180 mm		
30392225*	Multi Purpose, CLM-SWIVL3DSM	3-Prong Dual Adjust	Stainless Steel	0 mm–69 mm	Medium		178 mm		
30392214*	Multi Purpose, CLM-SWIVL3DZM	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–69 mm	Medium		178 mm		
30392230*	Multi Purpose, CLM-FIXED2SSM	2-Prong Single Adjust	Stainless Steel	0 mm–77 mm	Medium		133 mm		
30392218*	Multi Purpose, CLM-FIXED2SZM	2-Prong Single Adjust	Nickel plated Zinc	0 mm–77 mm	Medium		133 mm		
30392229*	Multi Purpose, CLM-FIXED3DSM	3-Prong Dual Adjust	Stainless Steel	0 mm–69 mm	Medium		146 mm		
30392217*	Multi Purpose, CLM-FIXED3DZM	3-Prong Dual Adjust	Nickel plated Zinc	0 mm–69 mm	Medium		146 mm		

*Unless noted with an asterisk, an additional holder is required to attach clamps to lab-frames and other apparatus

2 Prong Clamp

















3 Prong Clamp



- (A) Minimum to Maximum Grip Size
- (B) Prong Width
- (C) Arm Length
- (D) Arm Diameter
- (E) Overall Length

Specialty Clamps*

Material Number	Clamp Description	Clamp Style	Material	Grip Range (mm)	Size	Arm Length (mm)	Height (mm)	Length (mm)	Width (mm)	Arm Diameter (mm)	Flow Style	Photo
30392234	Specialty, Buret, CLS-BTDBLZ	Buret Holder	Nickel plated Zinc		Micro – 100 mL burets		108 mm	173.00 mm	173 mm			
30392227	Specialty, Buret, CLS-BTDBLS	Buret Holder	Stainless Steel		Micro – 100 mL burets		108 mm	173 mm				
30392240	Specialty Water Bath, CLS-WBATHZS	2-Prong Dual Adjust Water Bath	Nickel plated Zinc	5 mm–10 mm	Small			89 mm				
30392241	Specialty Water Bath, CLS-WBATHZL	3-Prong Dual Adjust Water Bath	Nickel plated Zinc	0 mm–46 mm	Large			117 mm				
30392259	Specialty, Chain, CLS-CHAINZL	Chain	Nickel plated Zinc	35 mm–280 mm	Large	127 mm		206 mm		13 mm		
30392260	Specialty, Chain, CLS-CHNEXZL	Chain	Nickel plated Zinc	35 mm–280 mm	Large	305 mm		384 mm		13 mm		
30392224	Specialty, Chain, CLS-CHAINSL	Chain	Stainless Steel	35 mm–280 mm	Large	127 mm		206 mm		13 mm		
30392235	Specialty, Chain, CLS-CHAINZM	Chain	Nickel plated Zinc	35 mm–170 mm	Small	127 mm		188 mm		13 mm		
30392314	Specialty, Column, CLS-COLMNSS	Column	Stainless Steel	65 mm–89 mm	Small	211 mm		282 mm		11 mm		
30392317	Specialty, Column, CLS-COLMNSX	Column	Stainless Steel	92 mm–165 mm	Extra Large	211 mm		368 mm		11 mm		
30392316	Specialty, Column, CLS-COLMNSL	Column	Stainless Steel	64 mm–140 mm	Large	211 mm		338 mm		11 mm		
30392315	Specialty, Column, CLS-COLMNSM	Column	Stainless Steel	91 mm–114 mm	Medium	211 mm		315 mm		11 mm		
30392210	Flow Control, Hosecock, CLF-HKRGZ	Hosecock - Adjustable Control	Nickel plated Zinc	0 mm–17 mm			62 mm		37 mm		Adjustable Control	
30392221	Flow Control, Hosecock, CLF-HKRGZ	Hosecock - Adjustable Control	Stainless Steel	0 mm–17 mm			62 mm		37 mm		Adjustable Control	

*An additional holder is required in order to attach clamps to lab-frames and other apparatus

Specialty Clamps*


Material Number	Material Description	Clamp Style	Material	Grip Range (mm)	Arm Length (mm)	Size	Length (mm)	Arm Diameter (mm)	Diameter (mm)	Photo
30392366	Specialty, Kettle, CLS-KTLCLM	Kettle				2000 mL, 3000 mL, 4000 mL Flask				
30392365	Specialty, Kettle, CLS-KTLCLS	Kettle				500 mL, 1000 mL Flask				
30392236	Specialty, Double Jaw, CLS-DBJAWZ	Double 2-Prong Single Adjust	Nickel plated Zinc	0 mm–76 mm			222 mm			
30392242	Specialty, Electrode, CLS-ELECTZ	Electrode	Nickel plated Zinc				178 mm			
30392318	Specialty, Nester, CLS-NESTXS	Nester	Stainless Steel	50 mm–102 mm	152 mm		262 mm	10 mm		
30392348	Specialty, Open Ring, CLS-OPENRPL	Open Ring	PVC		305 mm		427 mm	11 mm	127 mm	
30392345	Specialty, Open Ring, CLS-OPENRAL	Open Ring	Aluminum		61 mm		183 mm	11 mm	127 mm	
30392344	Specialty, Open Ring, CLS-OPENRAM	Open Ring	Aluminum		58 mm		158 mm	9 mm	102 mm	
30392346	Specialty, Open Ring, CLS-OPENRPS	Open Ring	PVC		254 mm		382 mm	9 mm	76 mm	
30392347	Specialty, Open Ring, CLS-OPENRPM	Open Ring	PVC		305 mm		404 mm	9 mm	102 mm	
30392343	Specialty, Open Ring, CLS-OPENRAS	Open Ring	Aluminum		58 mm		132 mm	9 mm	76 mm	
30392243*	Specialty, Suspension, CLS-SUSPNB	Suspension	Nickel plated Zinc				137 mm			
30392244	Specialty, Wall, CLS-WALLCZ	2-Prong Dual Adjust Wall Mount	Nickel plated Zinc	5 mm–10 mm			80 mm			
30392238*	Specialty Thermometer, CLS-THMSWZ	Thermometer	Nickel plated Zinc	6 mm–8 mm			159 mm			
30392239	Specialty Thermometer, CLS-THMEXZ	Thermometer	Nickel plated Zinc	6 mm–12 mm	127 mm		210 mm	11 mm		
30392367	Non-Electrical, CLN-AIREJ	Airejector	Nickel plated Zinc				140 mm			

*Clamps with an asterisk * have a built-in holder for securing to lab frames and other apparatus


Multi-Purpose & Specialty Clamps*



30392314
Column Clamp,
Stainless Steel



30392214*
Multi-Purpose Clamp,
3-Prong Dual Adjust
Nickel plated



30392209
2-Prong Dual Adjust
Stainless Steel



30392218*
2-Prong Single Adjust
Nickel plated



30392353
3-Prong Dual Adjust
Stainless Steel



30392251
3-Prong Dual Adjust
Nickel plated



30392238*
Specialty Clamp,
Thermometer
Nickel plated



30392346
Specialty Clamp,
Open Ring
PVC

*Clamps with an asterisk * have a built-in holder for securing to lab frames and other apparatus

Other Standard Features and Equipment

Non-slip vinyl sleeves, and fiberglass covers for temperatures above 100°C (included with all 2 and 3-prong clamps)

80775667_C 20220710 © Copyright OHAUS Corporation





WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.