



# Rods, Frames and Supports



## **LabJaws Ensures Secure Support for Holding Your Labware and Apparatus with Over 130 Options**

LabJaws offers the largest selection of Lab-Frame Kits, Lab lifts, Rods, Support Stands and Connectors in the industry to safely hold labware. Whether you need a standard lab-frame or need to create a unique set-up, we have options to fit any space or application. Dependable connectors secure rods and clamps to meet your requirements and five unique holders in a variety of sizes and materials accommodate different rods up to 24 mm in diameter.

### **Unique Features:**

- **Select the Right Material for the Job**  
Corrosion-resistant lab-frames, rods and connectors are available in premium stainless steel, offering high chemical resistance and durability. Aluminum offers reliable strength at a lighter weight.
- **Flexibility and Versatility for your Lab**  
Simplify lab set up! Thirteen lab-frame kit options are available with four designed to fit in fume hoods. Build your own support system choosing from a wide selection of rods, bases and connectors.
- **Providing Convenience with Exceptional Stability and Durability**  
Lab lifts offer convenient adjustable lifting platforms with exceptional strength and durability for holding small lab equipment such as glassware, hot plates and water baths at different heights.

# Lab-Frame Rods

Material Number	Description	Type	Material	Rod Length (mm)	Rod Diameter (mm)	Photo
30392293	Clamp, Rod, Steel 4 cm, CLR-RODS004	Lab Frame Rod	Stainless Steel	41 mm	13 mm	
30392294	Clamp, Rod, Steel 5 cm, CLR-RODS005	Lab Frame Rod	Stainless Steel	51 mm	13 mm	
30392295	Clamp, Rod, Steel 15 cm, CLR-RODS015	Lab Frame Rod	Stainless Steel	152 mm	13 mm	
30392296	Clamp, Rod, Steel 30 cm, CLR-RODS030	Lab Frame Rod	Stainless Steel	305 mm	13 mm	
30392297	Clamp, Rod, Steel 46 cm, CLR-RODS046	Lab Frame Rod	Stainless Steel	457 mm	13 mm	
30392298	Clamp, Rod, Steel 61 cm, CLR-RODS061	Lab Frame Rod	Stainless Steel	610 mm	13 mm	
30392299	Clamp, Rod, Steel 91 cm, CLR-RODS091	Lab Frame Rod	Stainless Steel	914 mm	13 mm	
30392300	Clamp, Rod, Steel 122 cm, CLR-RODS122	Lab Frame Rod	Stainless Steel	1,219 mm	13 mm	
30392301	Clamp, Rod, Steel 152 cm, CLR-RODS152	Lab Frame Rod	Stainless Steel	1,524 mm	13 mm	
30392302	Clamp, Rod, Steel 183 cm, CLR-RODS183	Lab Frame Rod	Stainless Steel	1,829 mm	13 mm	
30392303	Clamp, Rod, Steel 244 cm, CLR-RODS244	Lab Frame Rod	Stainless Steel	2,438 mm	13 mm	
30392271	Clamp, Rod, Aluminum 4 cm, CLR-RODA004	Lab Frame Rod	Aluminum	41 mm	13 mm	
30392272	Clamp, Rod, Aluminum 5 cm, CLR-RODA005	Lab Frame Rod	Aluminum	51 mm	13 mm	
30392273	Clamp, Rod, Aluminum 15 cm, CLR-RODA015	Lab Frame Rod	Aluminum	152 mm	13 mm	
30392274	Clamp, Rod, Aluminum 30 cm, CLR-RODA030	Lab Frame Rod	Aluminum	305 mm	13 mm	
30392275	Clamp, Rod, Aluminum 46 cm, CLR-RODA046	Lab Frame Rod	Aluminum	457 mm	13 mm	
30392276	Clamp, Rod, Aluminum 61 cm, CLR-RODA061	Lab Frame Rod	Aluminum	610 mm	13 mm	
30392277	Clamp, Rod, Aluminum 91 cm, CLR-RODA091	Lab Frame Rod	Aluminum	914 mm	13 mm	
30392278	Clamp, Rod, Aluminum 122 cm, CLR-RODA122	Lab Frame Rod	Aluminum	1,219 mm	13 mm	
30392279	Clamp, Rod, Aluminum 152 cm, CLR-RODA152	Lab Frame Rod	Aluminum	1,524 mm	13 mm	
30392280	Clamp, Rod, Aluminum 183 cm, CLR-RODA183	Lab Frame Rod	Aluminum	1,829 mm	13 mm	
30392281	Clamp, Rod, Aluminum 244 cm, CLR-RODA244	Lab Frame Rod	Aluminum	2,438 mm	13 mm	
30392333	Clamp, Rod, Aluminum 366 cm, CLR-RODAX	Lab Frame Rod	Aluminum	3660 mm	13 mm	






# Connector Clamps and Buret Holder Kits











Material Number	Description	Type	Material	Height (mm)	Width (mm)	Grip Range (mm)	Connection Angle	Adjustment Type	Photo
30392358	Clamp, Connector, Hook, CLC-HOOKCS	Connector	Stainless Steel			0-13 mm	Fixed 90°	Thumbscrew	
30392258	Clamp, Connector, Hook, CLC-HOOKCZ	Connector	Nickel plated			0-13 mm	Fixed 90°	Thumbscrew	
30392355	Clamp, Connector, S, CLC-SCONNS	Connector	Stainless Steel			0-13 mm	Fixed 90°	Set Screw	
30392257	Clamp, Connector, S, CLC-SCONNZ	Connector	Nickel plated			0-13 mm	Fixed 90°	Set Screw	
30392255	Clamp, Connector, Lattice, CLC-LTCEA	Connector	Aluminum			0-13 mm	Fixed 90°	Set Screw	
30392222	Clamp, Connector, Rod End, CLC-RDENDS	Connector	Stainless Steel			0-13 mm	Fixed 90°	Set Screw	
30392256	Clamp, Connector, Rod End, CLC-RDENDZ	Connector	Nickel plated			0-13 mm	Fixed 90°	Set Screw	
30392264	Clamp, Connector, End-To-End, CLC-EN2ENA	Connector	Aluminum			0-13 mm	End to End	Set Screw	
30392262	Clamp, Connector, Multi-Rod, CLC-MTODZ	Connector	Nickel plated			0-13 mm	Fixed 90°	Thumbscrew & Set Screw	

Material Number	Description	Type	Material	Clamp Width (mm)	Clamp Length (mm)	Base Height (mm)	Base Length (mm)	Base Width (mm)	Rod Length (mm)	Rod Diameter (mm)	Size	Photo
30392231	Clamp, Specialty, Buret Set, CLS-BTSETS	Buret Holder Kit	Stainless Steel	108 mm	173 mm	25 mm	178 mm	330 mm	578 mm	13 mm	micro – 100 mL burets	
30392313	Clamp, Specialty, Buret Set, CLS-BTSETA	Buret Holder Kit	Nickel plated	108 mm	173 mm	25 mm	178 mm	330 mm	578 mm	13 mm	micro – 100 mL burets	







For Buret Stand only see page 9



# Rods with Channel Connectors and Clamp Holders


Material Number	Description	Type	Material	Length (mm)	Grip Range (mm)	Connection Angle	Rod Length (mm)	Adjustment Type	Maximum Capacity (kg)	Photo
30392311	Clamp, Holder, Shelf Grip, CLC-SHGRPA	Rod with Channel Connector	Aluminum	197 mm		Fixed 90°		Thumbscrew		
30392269	Clamp, Connector, Bar, CLC-HTZMBA20	Rod with Channel Connector	Aluminum				203 mm	Locking Nut		
30392267	Clamp, Connector, Bar, CLC-HTZMBA10	Rod with Channel Connector	Aluminum				102 mm	Locking Nut		
30392265	Clamp, Holder, Universal, CLC-UNSMBA	Mounting Bracket	Aluminum		0.000 mm–20.000 mm			Thumbscrew	2.27 kg	
30392268	Clamp, Connector, Bar, CLC-HTZMBA15	Rod with Channel Connector	Aluminum				152 mm	Locking Nut		
30392266	Clamp, Connector, Bar, CLC-HTZMBA05	Rod with Channel Connector	Aluminum				51 mm	Locking Nut		



Material Number	Description	Type	Material	Length (mm)	Width (mm)	Grip Range (mm)	Connection Angle	Adjustment Type	Size	Photo
30392219	Clamp, Holder, Regular, CLC-REGLRS	Holder	Stainless Steel	48 mm		0–18 mm	Fixed 90°	Thumbscrew	Regular	
30392197	Clamp, Holder, Regular, CLC-REGLRZ	Holder	Nickel plated	48 mm		0–18 mm	Fixed 90°	Thumbscrew	Regular	
30392357	Clamp, Holder, Jumbo, CLC-JUMBOS	Holder	Stainless Steel	57 mm		0–21 mm	Fixed 90°	Thumbscrew	Jumbo	
30392196	Clamp, Holder, Jumbo, CLC-JUMBOA	Holder	Aluminum	57 mm		0–21 mm	Fixed 90°	Thumbscrew	Jumbo	
30392195	Clamp, Holder, CLC-CLMPHA	Holder	Aluminum	70 mm		0–17 mm	Fixed 90°	Thumbscrew		
30400045	Clamp, Holder, Ultra Clamp, CLC-ULTRAA	Holder	Aluminum	102 mm	102 mm	6–24 mm	Fixed 90°	Oversized Knob	Heavy Duty	
30400043	Clamp, Support, Holder, CLR-HOLDRS	Holder	Stainless Steel				Fixed 90°	Oversized Knob		
30392248	Clamp, Holder, All Position, CLC-ALLPSZ	Holder	Nickel plated			0–19 mm	Variable 360°	Thumbscrew		
30392228	Clamp, Holder, Swivel, CLC-SWIVLS	Holder	Stainless Steel			0–19 mm	Variable	Thumbscrew		
30392213	Clamp, Holder, Swivel, CLC-SWIVLZ	Holder	Nickel plated			0–19 mm	Variable	Thumbscrew		

# Flex Clamps, Inoculating Turntables, Slide Staining Rack and Lab Frame Feet













Material Number	Description	Type	Material	Height (mm)	Length (mm)	Width (mm)	Holder Grip Range (mm)	Arm Diameter (mm)	Arm Length (mm)	Photo
30400011	Clamp, Specialty, Flex, CLS-FLEXSM	Flex System	Nickel plated	13 mm	127 mm	127 mm		13 mm	305 mm	
30400014	Clamp, Specialty, Flex, CLS-FLEXSL	Flex System	Nickel plated	13 mm	127 mm	127 mm		13 mm	457 mm	
30400013	Clamp, Specialty, Flex, CLS-FLEXLM	Flex System	Nickel plated				0-19 mm	13 mm	305 mm	
30400016	Clamp, Specialty, Flex, CLS-FLEXLL	Flex System	Nickel plated				0-19 mm	13 mm	457 mm	
30400012	Clamp, Specialty, Flex, CLS-FLEXBM	Flex System	Nickel plated				0-43 mm	13 mm	305 mm	
30400015	Clamp, Specialty, Flex, CLS-FLEXBL	Flex System	Nickel plated				0-43 mm	13 mm	457 mm	

Material Number	Description	Type	Material	Height (mm)	Diameter Ø (mm)	Platform Size Diameter Ø (mm)	Size	Photo
30400047	Clamp, Non-Electrical, CLN-INOTTL	Inoculating Turntable	Enamel Coated Cast Iron	32 mm	150 mm	150 mm	Petri Dish size, 100 mm, 150 mm	
30400046	Clamp, Non-Electrical, CLN-INOTTS	Inoculating Turntable	Enamel Coated Cast Iron	76 mm	114 mm	114 mm	Petri Dish size, 100 mm	

Material Number	Description	Type	Material	Length (mm)	Width (mm)	Photo
30400048	Clamp, Non-Electrical, CLN-STNRK	Slide Staining Rack	Stainless Steel	603 mm	89 mm	

Material Number	Description	Type	Material	Height (mm)	Diameter Ø (mm)	Grip Range (mm)	Adjustment Type	Photo
30392356	Clamp, Lab Frame, Foot, CLR-LFOOTS	Lab Frame Foot	Stainless Steel	32 mm	58.4 mm	0-13 mm	Set Screw	
30392263	Clamp, Lab Frame, Foot, CLR-LFOOTZ	Lab Frame Foot	Nickel plated	32 mm	58.4 mm	0-13 mm	Set Screw	

# Lab Frame Kits

Material Number	Description	Type	Material	Height (mm)	Length (mm)	Width (mm)	Size	Photo
30392329	Clamp, Lab Frame Fume Hood, CLR-FHOODSS	Lab Frame Kit	Stainless Steel	914 mm	305 mm	965 mm	Fume Hood 4' (1.22 m)	
30392330	Clamp, Lab Frame Fume Hood, CLR-FHOODSM	Lab Frame Kit	Stainless Steel	914 mm	305 mm	1,270 mm	Fume Hood 5' (1.52 m)	
30392331	Clamp, Lab Frame Fume Hood, CLR-FHOODSL	Lab Frame Kit	Stainless Steel	914 mm	305 mm	1,575 mm	Fume Hood 6' (1.83 m)	
30392332	Clamp, Lab Frame Fume Hood, CLR-FHOODSX	Lab Frame Kit	Stainless Steel	914 mm	305 mm	2,184 mm	Fume Hood 8' (2.44 m)	
30392323	Clamp, Lab Frame, Steel, CLR-FRAMESS	Lab Frame Kit	Stainless Steel	610 mm	457 mm	610 mm	Small	
30392304	Clamp, Lab Frame, Aluminum, CLR-FRAMEAS	Lab Frame Kit	Aluminum	610 mm	457 mm	610 mm	Small	
30392324	Clamp, Lab Frame, Steel, CLR-FRAMESM	Lab Frame Kit	Stainless Steel	610 mm	457 mm	1,219 mm	Medium	
30392305	Clamp, Lab Frame, Aluminum, CLR-FRAMEAM	Lab Frame Kit	Aluminum	610 mm	457 mm	1,219 mm	Medium	
30392325	Clamp, Lab Frame, Steel, CLR-FRAMESSL	Lab Frame Kit	Stainless Steel	1,219 mm	457 mm	1,219 mm	Large	
30392306	Clamp, Lab Frame, Aluminum, CLR-FRAMEAL	Lab Frame Kit	Aluminum	1,219 mm	457 mm	1,219 mm	Large	
30392326	Clamp, Lab Frame, Steel, CLR-FRAMESX	Lab Frame Kit	Stainless Steel	1,219 mm	305 mm	1,829 mm	Extra Large	
30392307	Clamp, Lab Frame, Aluminum, CLR-FRAMEAX	Lab Frame Kit	Aluminum	1,219 mm	305 mm	1,829 mm	Extra Large	

# Lab Lifts

Material Number	Description	Type	Material	Height Range (mm)	Maximum Capacity* (kg)	Platform Size Length (mm)	Platform Size Width (mm)	Photo
30400000	Clamp, Support, Lab-Lift, CLR-LBLFTS008	Lab Lift	Stainless Steel	64–127 mm	45.36 kg	76 mm	76 mm	
30400001	Clamp, Support, Lab-Lift, CLR-LBLFTS010	Lab Lift	Stainless Steel	64–127 mm	45.36 kg	102 mm	102 mm	
30400002	Clamp, Support, Lab-Lift, CLR-LBLFTS015	Lab Lift	Stainless Steel	76–248 mm	60.33 kg	152 mm	152 mm	
30400003	Clamp, Support, Lab-Lift, CLR-LBLFTS020	Lab Lift	Stainless Steel	76–248 mm	102.97 kg	203 mm	203 mm	
30400004	Clamp, Support, Lab-Lift, CLR-LBLFTS025	Lab Lift	Stainless Steel	89–330 mm	112.04 kg	254 mm	254 mm	
30400005	Clamp, Support, Lab-Lift, CLR-LBLFTS030	Lab Lift	Stainless Steel	102–495 mm	45.36 kg	305 mm	305 mm	
30400006	Clamp, Support, Lab-Lift, CLR-LBLFTS041	Lab Lift	Stainless Steel	102–495 mm	45.36 kg	406 mm	406 mm	
30400007	Clamp, Support, Lab-Lift, CLR-LBLFTA010	Lab Lift	Aluminum	64–127 mm	29.94 kg	102 mm	102 mm	
30400008	Clamp, Support, Lab-Lift, CLR-LBLFTA015	Lab Lift	Aluminum	76–248 mm	59.87 kg	152 mm	152 mm	
30400009	Clamp, Support, Lab-Lift, CLR-LBLFTA020	Lab Lift	Aluminum	76–248 mm	79.83 kg	203 mm	203 mm	
30400010	Clamp, Support, Lab-Lift, CLR-LBLFTA025	Lab Lift	Aluminum	89–330 mm	84.37 kg	254 mm	254 mm	

\*NOTE Maximum load represents static weight only. Static weight is the amount a unit can hold, not lift.

## Optional Accessories

Material Number	Description	Material	Used On (mm)	Rod Length (mm)	Rod Diameter (mm)	Photo
30400050	Support Rod Kit	Stainless Steel	152 × 152 mm 203 × 203 mm 254 × 254 mm 305 × 305 mm 406 × 406 mm	432 mm	13 mm	
30400049	Ratchet Tool	Stainless Steel	305 × 305 mm 406 × 406 mm			

# Support Stands with Rods

Material Number	Description	Type	Material	Base Height (mm)	Length (mm)	Width (mm)	Rod Length (mm)	Rod Diameter (mm)	Photo
30400030	Clamp, Support, Stand/Rod, CLR-STRODS058	Support Stand with Rod	Stainless Steel	35 mm	267 mm	451 mm	58 cm	16 mm	
30400031	Clamp, Support, Stand/Rod, CLR-STRODS071	Support Stand with Rod	Stainless Steel	35 mm	267 mm	451 mm	71 cm	16 mm	
30400032	Clamp, Support, Stand/Rod, CLR-STRODS091	Support Stand with Rod	Stainless Steel	35 mm	267 mm	451 mm	91 cm	16 mm	
30400033	Clamp, Support, Stand/Rod, CLR-STRODS102	Support Stand with Rod	Stainless Steel	35 mm	267 mm	451 mm	102 cm	16 mm	
30400034	Clamp, Support, Stand/Rod, CLR-STRODS122	Support Stand with Rod	Stainless Steel	35 mm	267 mm	451 mm	122 cm	16 mm	
30400035	Clamp, Support, Stand/Rod, CLR-STRODS152	Support Stand with Rod	Stainless Steel	47 mm	267 mm	451 mm	152 cm	16 mm	
30392334	Clamp, Support, Stand Rod, CLR-STRODC046	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	46 cm	16 mm	
30392335	Clamp, Support, Stand Rod, CLR-STRODC058	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	58 cm	16 mm	
30392336	Clamp, Support, Stand Rod, CLR-STRODC071	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	71 cm	16 mm	
30392337	Clamp, Support, Stand Rod, CLR-STRODC091	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	91 cm	16 mm	
30392338	Clamp, Support, Stand Rod, CLR-STRODC102	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	102 cm	16 mm	
30392339	Clamp, Support, Stand Rod, CLR-STRODC122	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	122 cm	16 mm	
30392340	Clamp, Support, Stand Rod, CLR-STRODC152	Support Stand with Rod	Cast Iron and Stainless Steel	47 mm	305 mm	419 mm	152 cm	16 mm	
30392232	Clamp, Specialty, Stand/Rod, CLS-STRODS	Support Stand with Rod	Porcelain with Stainless Steel Rod	25 mm	178 mm	330 mm	58 cm	13 mm	
30392312	Clamp, Specialty, Stand/Rod, CLS-STRODA	Support Stand with Rod	Porcelain with Aluminum Rod	25 mm	178 mm	330 mm	58 cm	13 mm	

# Support Plates and Bases

Material Number	Description	Type	Material	Adjustment Type	Platform Size Length (mm)	Platform Size Ø Diameter (mm)	Platform Size Width (mm)	Size	Photo
30392351	Clamp, Support, Plate, CLR-PLATEAX	Support Plates	Aluminum	Thumbscrew	400 mm		305 mm	Large	
30392350	Clamp, Support, Plate, CLR-PLATEAL	Support Plates	Aluminum	Thumbscrew	324 mm		229 mm	Medium	
30392349	Clamp, Support, Plate, CLR-PLATEAS	Support Plates	Aluminum	Thumbscrew	241 mm		165 mm	Small	
30392342	Clamp, Support, Round Plate, CLR-PLATEAR	Support Plates	Aluminum			152 mm			

Material Number	Description	Type	Material	Length (mm)	Ø Diameter (mm)	Width (mm)	Photo
30392359	Clamp, Support, Rectangle, CLR-RBASECS	Support Stand Base	Cast Iron	102 mm		152 mm	
30392360	Clamp, Support, Rectangle, CLR-RBASECM	Support Stand Base	Cast Iron	127 mm		203 mm	
30392361	Clamp, Support, Rectangle, CLR-RBASECL	Support Stand Base	Cast Iron	152 mm		229 mm	
30392362	Clamp, Support, Rectangle, CLR-RBASECX	Support Stand Base	Cast Iron	203 mm		254 mm	
30392363	Clamp, Support, Tripod Stand, CLR-TBASEC	Support Stand Base	Cast Iron		375 mm		
30392364	Clamp, Support, U Stand, CLR-UBASEC	Support Stand Base	Cast Iron	178 mm		178 mm	

# Gas Cylinder Supports

Material Number	Description	Type	Material	Height (mm)	Length (mm)	Diameter Ø (mm)	Width (mm)	Cylinder Diameter Ø (mm)	Support Type	Photo
30400020	Clamp, Support, 711 Bench, CLR-711	Gas Cylinder Supports	Cast Aluminum	165 mm	83.00 mm		133 mm	102–356 mm	Bench	
30400021*	Clamp, Support, 711M Bench, CLR-711M	Gas Cylinder Supports	Cast Aluminum	165 mm	83.00 mm		133 mm	102–356 mm	Bench	
30400026	Clamp, Support, 716 Chain, CLR-716	Gas Cylinder Supports	Cast Aluminum	165 mm	83.00 mm		133 mm	102–356 mm	Bench	
30400027*	Clamp, Support, 716M Chain, CLR-716M	Gas Cylinder Supports	Cast Aluminum	165 mm	83.00 mm		133 mm	102–356 mm	Bench	
30400022	Clamp, Support, 712 Heavy Duty, CLR-712	Gas Cylinder Supports	Cast Aluminum	114 mm	83.00 mm		152 mm	102–356 mm	Bench	
30400024	Clamp, Support, 715 Wall, CLR-715	Gas Cylinder Supports	Cast Aluminum	118 mm	48.00 mm		206 mm	102–356 mm	Wall	
30400025*	Clamp, Support, 715M Wall, CLR-715M	Gas Cylinder Supports	Cast Aluminum	118 mm	48.00 mm		206 mm	102–356 mm	Wall	
30400028	Clamp, Support, 717 Chain, CLR-717	Gas Cylinder Supports	Cast Aluminum	118 mm	48.00 mm		206 mm	102–356 mm	Wall	
30400029*	Clamp, Support, 717M Chain, CLR-717M	Gas Cylinder Supports	Cast Aluminum	118 mm	48.00 mm		206 mm	102–356 mm	Wall	
30400018	Clamp, Support, 703 Stand, CLR-703	Gas Cylinder Supports	Cast Aluminum	152 mm		464 mm		203–229 mm	Floor Stand	
30400019	Clamp, Support, 704 Stand, CLR-704	Gas Cylinder Supports	Cast Aluminum	191 mm		470 mm		152–235 mm	Floor Stand	
30400023	Clamp, Support, 713 Portable, CLR-713	Gas Cylinder Supports	Cast Aluminum	76 mm		394 mm		178–235 mm	Floor Stand	

\*Strap features message "Secure Cylinder"

# Rods, Frames and Supports



30392306

Lab Frame  
Aluminum



30400008

Lab-Lift Support  
Aluminum



30400014

Flex Specialty Clamp  
Nickel plated

## Applications

Chromatography, Distillation, Titrations, Electrolysis, Chemistry, Research & Development, Quality Control, Ring Stands, Water Baths, Cleanroom Applications, Acid Fume Hood Applications

## Operation

Lab-frame kits include all components necessary to build a lab-frame

## Construction

Nickel-plated zinc, stainless steel, fiberglass, aluminum, cast aluminum, anodized aluminum (stainless steel is autoclavable and corrosion-resistant. Aluminum is lightweight yet strong. Cast iron with black enamel finish is chemical-resistant).



# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.