

1. Part Number: 8051H-1100S

2. Photograph:



3. Product Information:

Description:	SteriWare® Jumbo Pipette 1100mm - sterile
Use:	Single use, disposable liquid sampler
Material of Construction:	High Density Polyethylene (HDPE) - virgin <ul style="list-style-type: none"> • Conforms to FDA 21 CFR 177.1520 • Conforms to EU Regulations 10/2011 • Conforms to EC Regulations 1935/2004 • BSE/TSE free <p>A blue dye is added to one of the tips. The blue dye is certified:</p> <ul style="list-style-type: none"> • FDA acceptable for food contact • Free of materials of animal origin
Method of Construction:	Ultrasonic welding
Nominal Length	1090mm
Diameter of Outer Tube:	21mm
Diameter of hole in tip:	Handle End (Blue) = 1.5mm Product End (Natural) = 3mm
Nominal Weight of Sampler:	123g
Assembly & Primary Packing Environment:	Class 100,000 Cleanroom
Individually Bagged?	Yes (heat sealed PE/PET bag)
Method of Sterilisation:	Gamma Irradiation (25kGy minimum dose)
Number of Samplers per Box:	37
Recommended Storage Conditions:	Dry and ambient temperature
Shelf Life:	5 years from the date of manufacture

4. Change Control:

Sampling Systems operates a policy of continual improvement.

To be kept informed of all major changes to any product in the SteriWare range please email your contact details to change.control@sampling.com

5. Country of Origin:

Made and packed in the UK.

6. Repeated Use:

This is a single-use, disposable sampler. Repeated use will lead to failure.

7. Approval:

Signed:



Name: Kuldeep Flora

Position: Quality Manager

Date: 29-Jun-21





WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.