

Vivaspin® 500



100 µl to 500 µl samples


Vivaspin® 500 µl centrifugal filter units offer a simple, one step procedure for sample preparation. They can effectively be used in a fixed angle rotors accepting 2.2 ml centrifuge tubes.

The patented vertical membrane design and thin channel filtration chamber (US 5,647,990), minimises membrane fouling and provides high speed concentrations, even with particle laden solutions.



Technical specifications Vivaspin® 500

Concentrator capacity	Swing bucket rotor	do not use
	Fixed angle rotor	500 µl
Dimensions	Total length	50 mm
	Width	11 mm
	Active membrane area	0.5 cm ²
	Hold-up volume, membrane and support	< 5 µl
Dead stop volume		5 µl
	Materials of construction	Body
	Filtrate vessel	Polypropylene
	Concentrator cap	Polycarbonate
	Membrane	Polyethersulfone



Equipment required Vivaspin® 500

Centrifuge	Rotor type	Fixed angle
	Minimum rotor angle	40°
	Rotor cavity	To fit 2.2 ml (11 mm) conical bottom tubes
	Maximum speed	15,000 g
Concentrate recovery	Pipette type	Fixed or variable volume
	Recommended tip	Thin gel loader type

Performance characteristics

	Time to concentrate up to 30x [min.] at 20°C and solute recovery %	
	Min.	Rec.
Rotor	Fixed angle	
Centrifugal force	12,000 g	
Start volume	500 µl	
Aprotinin 0.25 mg/ml (6,500 MW) 3,000 MWCO PES	30	96%
BSA 1.0 mg/ml (66,000 MW) 5,000 MWCO PES	15	96%
10,000 MWCO PES	5	96%
30,000 MWCO PES	5	96%
IgG 0.25 mg/ml (160,000 MW) 30,000 MWCO PES	10	96%
50,000 MWCO PES	10	96%
100,000 MWCO PES	10	96%

Ordering information

Vivaspin® 500 Polyethersulfone	Pack size	Prod. no.
3,000 MWCO	25	VS0191
3,000 MWCO	100	VS0192
5,000 MWCO	25	VS0111
5,000 MWCO	100	VS0112
10,000 MWCO	25	VS0101
10,000 MWCO	100	VS0102
30,000 MWCO	25	VS0121
30,000 MWCO	100	VS0122
50,000 MWCO	25	VS0131
50,000 MWCO	100	VS0132
100,000 MWCO	25	VS0141
100,000 MWCO	100	VS0142
300,000 MWCO	25	VS0151
300,000 MWCO	100	VS0152
1,000,000 MWCO	25	VS0161
1,000,000 MWCO	100	VS0162
0.2 µm	25	VS0171
0.2 µm	100	VS0172
Starter pack (5 of each 5 k, 10 k, 30 k, 50 k, 100 k)	25	VS01S1



Wolflabs

Wolf Laboratories Limited

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk



Use the above details to contact us if this literature doesn't answer all your questions.

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

