



# Thermo Scientific Finnpipette Systems

One family of pipettes is all you need  
to comfortably meet any application challenge


# meeting every challenge with ease and precision

For decades, **Thermo Scientific Finnpiquette pipetting systems** have delivered unmatched productivity and ergonomics across thousands of labs and applications worldwide.

Each enhancement, purposely-designed to make your life in the lab safer, easier and more successful, making Finnpiquette systems the trusted standard of excellence for comfort, ease-of-use and reliability.

- **Exceptional ergonomics:** from our lightweight designs to strain-free pipetting features.
- **Comprehensive model selection:** including single-, 8-, 12- and 16-channel models supporting volumes from 0.2  $\mu\text{L}$  to 10 mL.
- **Broad portfolio of tips:** choose from standard or specialized varieties for specific applications and improved ergonomics.
- **CE marked:** Finnpiquette F1 and F2 pipettes, when used with Finntips, are CE marked in accordance with IVD Directive in Europe.
- **Convenient Color-coding:** Finnpiquettes and Finntips are color-coded by volume to make it easy to select the right pipette and tips in any environment.
- **Quality you can depend on:** each pipetting system is certified to meet standards—ISO 9001, ISO 14001 and ISO 13485.
- **Industry-leading warranty:** Receive an extended 5-year warranty on Finnpiquette F1 or F2 pipettes and up to 2 years on Finnpiquette Novus electronic pipettes with convenient online registration.






## FinnpiPETTE F1

The industry-leading manual pipette, thanks to its lightweight design, low plunger, tip attachment and ejection forces – plus a secure volume lock and adjustable finger rest.




## FinnpiPETTE F2

Rugged construction and ease of maintenance for your more demanding applications.



## FinnpiPETTE Novus

The move to electronic pipetting is easier than you think to support higher throughput.



## Finntip Pipette Tips

Engineered for maximum performance and comfort with every FinnpiPETTE.

# Thermo Scientific FinnpiPETTE Systems

## The evolution of excellence continues...

with more enhancements – thanks to your valuable feedback – and it's never been easier to select the perfect pipette to match your specific requirements.

Performance and comfort without compromise – it's more like choosing a trusted lab partner than selecting a pipette.

- 4 | FinnpiPETTE F1 Pipettes
- 6 | FinnpiPETTE F2 Pipettes
- 8 | FinnpiPETTE Novus Pipettes
- 10 | Finntip Pipette Tips



# Finnpiquette F1 Everything you want in your everyday, go-to pipette

The Finnpiquette F1 system delivers performance with precision, all in a lightweight design that maximizes user comfort and reduces strain. It's the ideal system for applications using expensive reagents and valuable samples.

## The Finnpiquette F1 now takes pipetting to a whole new level with significant new enhancements:

- **A lighter, silent touch:** volume adjustment is virtually effortless and silent, also enabling one-handed volume changes for convenience.
- **A better grip and confident feel:** a textured adjustment knob now provides a feel of confidence when setting volumes. Optional handle strips for your F1 pipette also enable a firmer grip that makes a huge difference in your work.
- **A slightly softer push:** lower pipetting forces now reduce Repetitive Stress Injury (RSI) even further without compromising results. That means maximum comfort with confidence you can count on each and every day.
- **A little more respect for your thumb:** a wider tip ejector gives your thumb more room to operate in comfort.

**“The Finnpiquette F1 pipettes are light to use.** There is no need to re-adjust them as they keep their specifications/adjustments for years. They look beautiful. I also like the stand.”

– *Special laboratory technician, University, Finland*

Learn more:



# Exceptional performance and comfort, redefined



Lightweight handle design combined with low plunger, tip attachment and ejection forces help reduce the risk of RSI.

## Adjustable comfort

The 120° adjustable finger rest – for both right- and left-handed operator comfort – allows your hand to relax during pipetting cycles.

## Comfortable Tip Ejection

Soft touch tip ejection combined with the softer collar of Finntip Flex tips reduces ejection forces.

## Super blow-out

150% increase in air boost ensures efficient delivery of micro-volumes and prevents capillary action in 50 µL models and below.

## NEW silent, effortless volume adjustment

Enjoy the new silent and light volume adjustment with over 50% lower forces compared to earlier models. Improved grip on the volume adjustment knob enables effortless and precise adjustment.

## Secure volume lock

Securely set and lock volumes to prevent undesirable volume drift during operation.



Learn how the right combination of



TECHNIQUES



TOOLS



ERGONOMICS



SERVICE



support Good Laboratory Pipetting (GLP)



# Finnpipette F2 Built rugged to excel where other pipettes often fail

In many laboratory environments, chemical resistance and physical durability are requirements for a pipette. It must be able to endure powerful, frequent decontamination methods and withstand a range of harsh chemicals.

**Rugged and Durable:** the Finnpiquette F2 contains tough PVDF components that stand up to harsh chemicals and the damaging effects of UV light. Its rugged design withstands physical use without damage.

**Fully-Autoclavable:** decontamination of the Finnpiquette F2 is simple because there's no need to disassemble/re-assemble the F2 for autoclaving, minimizing disruption and downtime.

**Maintenance is Easy:** simply detach the tip cone for efficient daily maintenance or decontamination when not using an autoclave.



Finnpipette F2 disassembles easily for efficient decontamination



Learn more:



## A model to meet any need

Its sleek, rugged design is ideal for highly-demanding applications where robustness and durability are essential. The Finnpipette F2 is proven reliable for long-term intensive use, including environments where contaminants are a daily risk.

**“The Finnpipette F2 pipettes are beautiful and sleek.**

The design is very ergonomic and comfortable for long-term, repetitive sample allocation. The color-coding based on [volume] size is also incredibly useful and indicative of thoughtful design... We very much enjoy these pipettes and they have made our research more seamless.”

– Biomedical post-doctoral researcher, U.S.



**“I was suffering with RSI (Repetitive Stress Injury) in my right hand and arm as a result of years of pipetting using standard pipettes.** Faced with taking

a break from lab work or not using pipettes, I ordered the Novus series. These pipettes have allowed me to carry on without putting any strain on my arm and hand. My co-workers agree since they will often ‘borrow’ my pipettes.”

– Dr. Farhat Khanim, University of Birmingham, UK



Learn more:  
[thermofisher.com/finnpipette](https://thermofisher.com/finnpipette)

# Finnpipette Novus

## Electronic pipetting made easy

Finnpipette Novus makes the move to electronic pipetting easier and more comfortable than you ever imagined. It combines the control and lightweight features of a manual pipette and adds significantly higher throughput, precision and enhanced comfort.

### Easy to Learn, Program, and Use

For users new to electronic pipetting, Novus features an intuitive text-guided graphical user interface – available in 7 different languages with one-press access to basic pipetting functions such as multidispensing, forward, and reverse pipetting.



Intuitive menu provides easy access to functions



The large screen displays a range of information



Work in your native language; choose from 7



# Safe and Comfortable

Novus excels in repetitive applications – such as plate filling, due to its multidispensing functionality. Electronic pipetting operation and adjustable speed make it ideal when working with small volumes and viscous liquids.

The combination of its lightweight design and soft-touch tip ejection makes Novus the safe and comfortable choice for heavy-duty pipetting applications. Its unique index-finger operation allows your thumb to relax during pipetting. Novus also ensures your data integrity by storing programs and monitoring the number of pipetting steps between calibration intervals to provide quality, consistent results.



## NOVUS PIPETTING FUNCTIONS

### BASIC FUNCTIONS

|  |   |
|--|---|
| <b>Pipette (forward technique)</b>                 | The forward technique is recommended for aqueous solutions, such as buffers, diluted acids or alkalis.  |
| <b>Rpipet (reverse &amp; repetitive technique)</b> | The reverse technique is suitable for dispensing liquids that have a high viscosity or a tendency to foam easily. The technique is also recommended for dispensing very small volumes. The repetitive technique offers a rapid and simple procedure for repeated delivery of the same volume. |
| <b>Stepper (multidispensing)</b>                   | The STEPPER function allows the repeated dispensing of one selected volume. It's ideal for microplate applications.   |
| <b>Dilute</b>                                      | The DILUTE function let's you dispense two selected volumes separated by an air gap.  |


# Finntip Pipette Tips

## Achieve excellence in a complete FinnpiPETTE system

Finntip tips are designed and manufactured expressly for FinnpiPETTE models to deliver optimal performance, precision and accuracy. They meet ISO 9001, ISO 14001 and ISO 13485<sup>1</sup> standards for exceptional quality.


- **Available in a Wide Range of Volumes and Styles:**

Volume ranges from 0.2 µL to 10 mL in standard, extended length, and wide orifice tips.



Finntip Flex 200  
Finntip 200 Extended Length  
Finntip 1000 Wide Orifice  
Finntip 10 mL

- **Enhancing User Comfort:** Finntip Flex pipette tips feature a soft collar and stable rack base that support lower attachment and ejection forces, to reduce hand strain.
- **Easy Identification:** color-coding on each FinnpiPETTE and Finntip rack maximizes efficiency.
- **Environmentally-friendly:** space-saving refill capability with reload packaging options that minimize materials and waste.



**Lower tip ejection forces up to 49%** by using Finntip Flex tips with the FinnpiPETTE F1 multichannel pipette compared to universal tips. The soft touch tip ejector on the FinnpiPETTE F1 combined with the soft collar on the Finntip Flex tips reduces the force needed to eject tips for less strain on your thumb. **That is savings that can really add up each day!**















<sup>1</sup>FinnpiPETTE F1 and F2 together with compatible Finntip tips are CE marked in accordance with IVD Directive in Europe

# Ordering Information











## Manual Pipettes and Compatible Finntips

|   |                |
|---|----------------|
|  | 10 µL          |
|  | 20 µL /50 µL   |
|  | 100 µL /200 µL |
|  | 300 µL         |
|  | 1000 µL        |
|  | 5 mL           |
|  | 10mL           |

### Finnpipette Single Channel Pipettes and Finntips

| Volume Range   | Color Key   | Finnpipette F1 Item No. | Finnpipette F2 Item No. | Compatible Finntips   |
|----------------|---|-------------------------|-------------------------|---|
| 0.2-2 µL       |    | 4641010N                | 4642010                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                                    |
| 0.5-5 µL       |    | 4641020N                | 4642020                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                                    |
| 1-10 µL, micro |    | 4641030N                | 4642030                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                                    |
| 1-10 µL        |    | 4641040N                | 4642040                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 2-20 µL, micro |    | 4641050N                | 4642050                 | Finntip 50, Filter 50   |
| 2-20 µL        |    | 4641060N                | 4642060                 | Finntip 250, Filter 20, Flex 200, Flex Filter 30, 200 Ext                         |
| 5-50 µL, micro |    | 4641130N                | 4642120                 | Finntip 50, Filter 50   |
| 5-50 µL        |    | 4641140N                | 4642130                 | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext       |
| 10-100 µL      |    | 4641070N                | 4642070                 | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext       |
| 20-200 µL      |   | 4641080N                | 4642080                 | Finntip 250, Filter 200, Flex 200, Flex Filter 200, 200 Ext, Filter 200 Ext       |
| 30-300 µL      |  | 4641090N                | -                       | Finntip 300, Filter 300, Flex 300, Flex Filter 300                                |
| 100-1000 µL    |  | 4641100N                | 4642090                 | Finntip 1000, Filter 1000, Flex 1000, Flex Filter 1000, 1000 Ext, Filter 1000 Ext |
| 0.5-5 mL       |  | 4641110N                | 4642100                 | Finntip 5 mL, Filter 5 mL   |
| 1-10 mL        |  | 4641120N                | 4642110                 | Finntip 10 mL, Filter 10 mL, Flex 10 mL Ext                                       |

### Finnpipette Multichannel Pipettes and Finntips

| Channels/<br>Volume Range | Color Key   | Finnpipette F1 Item No. | Finnpipette F2 Item No. | Compatible Finntips   |
|---------------------------|---|-------------------------|-------------------------|---|
| 8-ch, 1-10 µL             |  | 4661000N                | 4662000                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                              |
| 8-ch, 5-50 µL             |  | 4661010N                | 4662010                 | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext |
| 8-ch, 10-100 µL           |  | 4661020N                | 4662020                 | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext |
| 8-ch, 30-300 µL           |  | 4661030N                | 4662030                 | Finntip 300, Filter 300, Flex 300, Flex Filter 300                          |
| 12-ch, 1-10 µL            |  | 4661040N                | 4662040                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                              |
| 12-ch, 5-50 µL            |  | 4661050N                | 4662050                 | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext |
| 12-ch, 10-100 µL          |  | 4661060N                | 4662060                 | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext |
| 12-ch, 30-300 µL          |  | 4661070N                | 4662070                 | Finntip 300, Filter 300, Flex 300, Flex Filter 300                          |
| 16-ch, 1-10 µL            |  | 4661080N                | 4662080                 | Finntip 20, Filter 20   |
| 16-ch, 5-50 µL            |  | 4661090N                | 4662090                 | Finntip 50, Filter 50   |



Learn more:

# Ordering Information

## Manual Pipettes and Compatible Finntips

### Finnpipette Single Channel Fixed Volume Pipettes

| Volume Range | Finnpipette F1 Item No. | Finnpipette F2 Item No. | Compatible Finntips   |
|--------------|-------------------------|-------------------------|---|
| 1 µL         |                         | 4652000                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                                    |
| 5 µL         |                         | 4652010                 | Finntip 10, Filter 10, Flex 10, Flex Filter 10                                    |
| 10 µL        | 4651020N                | 4652020                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 20 µL        | 4651130N                | 4652130                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 25 µL        | 4651030N                | 4652030                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 50 µL        | 4651040N                | 4652040                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 100 µL       | 4651050N                | 4652050                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 200 µL       | 4651140N                | 4652140                 | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 250 µL       | 4651060N                | 4652060                 | Finntip 1000, Filter 1000, Flex 1000, Flex Filter 1000, 1000 Ext, Filter 1000 Ext |
| 500 µL       | 4651070N                | 4652070                 | Finntip 1000, Filter 1000, Flex 1000, Flex Filter 1000, 1000 Ext, Filter 1000 Ext |
| 1000 µL      | 4651080N                | 4652080                 | Finntip 5 mL, Filter 5 mL   |
| 2000 µL      | 4651090N                | 4652090                 | Finntip 5 mL, Filter 5 mL   |
| 3000 µL      | 4651100N                | 4652100                 | Finntip 5 mL, Filter 5 mL   |
| 5000 µL      | 4651110N                | 4652110                 | Finntip 5 mL, Filter 5 mL   |
| 10000 µL     | 4651120N                | 4652120                 | Finntip 10 mL, Filter 10 mL, Flex 10 mL Ext                                       |

### Finnpipette F1 and F2 Good Laboratory Pipetting (GLP) Kits

| Kit No.   | Contents   | Finnpipette F1 Item No. | Finnpipette F2 Item No. |
|-----------|--|-------------------------|-------------------------|
| GLP Kit 1 | • Single channel 1-10 µl, 10-100 µl and 100-1000 µl pipettes           | 4700850N                | 4700870                 |
|           | • F-Series Stand   |                         |                         |
|           | • 3 Racks of Finntip Flex tips   |                         |                         |
| GLP Kit 2 | • Single channel 0.2-2 µl, 2-20 µl, 20-200 µl and 100-1000 µl pipettes | 4700860N                | 4700880                 |
|           | • F-Series Stand   |                         |                         |
|           | • 4 Racks of Finntip Flex tips   |                         |                         |
| GLP Kit 3 | • Single channel 10-100 µl, 100-1000 µl and 1-10 ml pipettes           | 4700865N                | 4700885                 |
|           | • F-Series Stand   |                         |                         |
|           | • 2 Racks of Finntip Flex tips and 1 Rack of Finntip tips              |                         |                         |
| GLP Kit 4 | • Single channel 2-20 µl, 20-200 µl and 100-1000 µl pipettes           | 4701060N                | 4701070                 |
|           | • F-Series Stand   |                         |                         |
|           | • 3 Racks of Finntip Flex tips   |                         |                         |



Finnpipette F2 GLP Kit 2



Learn more:

# Ordering Information

## Electronic Pipettes and Compatible Finntips

|                |
|----------------|
| 10 µL          |
| 20 µL /50 µL   |
| 100 µL /200 µL |
| 300 µL         |
| 1000 µL        |
| 5 mL           |
| 10mL           |

### Finnpipette Electronic Single Channel Pipettes and Finntips

| Volume Range   | Functional Volume Range* | Color Key | Finnpipette Novus Item No. | Compatible Finntips   |
|----------------|--------------------------|-----------|----------------------------|---|
| 1-10 µL, micro | 0.5-10 µL                | ●         | 46200000                   | Finntip 10, Filter 10, Flex 10, Flex Filter 10                                    |
| 1-10 µL        | 0.5-10 µL                | ●         | 46200100                   | Finntip 250, Filter 10, Flex 200, Flex Filter 10, 200 Ext                         |
| 5-50 µL, micro | 2.5-50 µL                | ●         | 46200200                   | Finntip 50, Filter 50   |
| 5-50 µL        | 2.5-50 µL                | ●         | 46200300                   | Finntip 250 Univ, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext  |
| 10-100 µL      | 5-100 µL                 | ●         | 46200400                   | Finntip 250 Univ, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext  |
| 30-300 µL      | 15-300 µL                | ●         | 46200500                   | Finntip 300, Filter 300, Flex 300, Flex Filter 300                                |
| 100-1000 µL    | 50-1000 µL               | ●         | 46200600                   | Finntip 1000, Filter 1000, Flex 1000, Flex Filter 1000, 1000 Ext, Filter 1000 Ext |
| 0.5-5 mL       | 0.25 mL                  | ●         | 46200700                   | Finntip 5 mL, Filter 5 mL   |
| 1-10 mL        | 0.5-10 mL                | ●         | 46200800                   | Finntip 10 mL, Filter 10 mL, Flex 10 mL Ext                                       |

### Finnpipette Electronic Multichannel Pipettes and Finntips

| Channels/Volume Range | Functional Volume Range* | Color Key | Finnpipette Novus Item No. | Compatible Finntips   |
|-----------------------|--------------------------|-----------|----------------------------|---|
| 8-ch, 1-10 µL         | 0.5-10 µL                | ●         | 46300000                   | Finntip 10, Filter 10, Flex 10, Flex Filter 10                              |
| 8-ch, 5-50 µL         | 2.5-50 µL                | ●         | 46300200                   | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext |
| 8-ch, 30-300 µL       | 15-300 µL                | ●         | 46300400                   | Finntip 300, Filter 300, Flex 300, Flex Filter 300                          |
| 8-ch, 100-1200 µL     | 50-1200 µL               | ●         | 46300800                   | Flex 1200, Flex Filter 1200   |
| 12-ch, 1-10 µL        | 0.5-10 µL                | ●         | 46300100                   | Finntip 10, Filter 10, Flex 10, Flex Filter 10                              |
| 12-ch, 5-50 µL        | 2.5-50 µL                | ●         | 46300300                   | Finntip 250, Filter 100, Flex 200, Flex Filter 100, 200 Ext, Filter 100 Ext |
| 12-ch, 30-300 µL      | 15-300 µL                | ●         | 46300500                   | Finntip 300, Filter 300, Flex 300, Flex Filter 300                          |
| 16-ch, 5-50 µL        | 2.5-50 µL                | ●         | 46300700                   | Finntip 50, Filter 50   |

\*The Functional volume range indicates the volume range that the pipette can cover in the Stepper, Sequential Stepper and Sequential Aspirate functions.

### Finnpipette Novus Good Laboratory Pipetting (GLP) Kits

| Kit No.   | Contents  | Finnpipette Novus Item No. |
|-----------|---|----------------------------|
| GLP Kit 1 | • Single channel 10-100 µL and 100-1000 µL pipettes                   | 4700470                    |
|           | • Two Novus Stands  |                            |
|           | • Finntip Flex 200 and Flex 1000 racks                                |                            |
| GLP Kit 2 | • Single channel 100-1000 and 0.5-5 mL pipettes                       | 4700490                    |
|           | • Two Novus Stands  |                            |
|           | • Finntip Flex 1000 and Finntip 5 mL racks                            |                            |
| GLP Kit 3 | • Single channel 1-10 µL micro, 10-100 µL and 100-1000 µL pipettes    | 4701120                    |
|           | • Three Novus Stands  |                            |
|           | • Finntip Flex 10, Flex 200 and Flex 1000 racks                       |                            |
| GLP Kit 4 | • Single channel 10-100 µL, 100-1000 µL and 1-10 mL pipettes          | 4701130                    |
|           | • Three Novus Stands  |                            |
|           | • Finntip Flex 200, Flex 1000, Finntip 10 mL and Flex 10 mL Ext racks |                            |



# Ordering Information

## Accessories for Manual and Electronic Pipettes

### Pipette Stands

| Item No. | Description   |
|----------|---|
| 9420400  | F-Series Stand, linear, white, for six F1 or F2 pipettes                  |
| 9420390  | Multichannel Pipette Stand, for one F1, F2 or Novus pipette               |
| 9420290  | Pipette Stand, linear, grey, for six F1 or F2 pipettes                    |
| 9420320  | Pipette Mini-stand, linear, for three F1 or F2 pipettes                   |
| 9420340  | Carousel Stand, for six F1 or F2, or three Novus pipettes, includes cover |
| 9420360  | Novus stand, for one pipette  |



F-Series Stand



Multichannel Pipette Stand



Carousel Stand



Novus Stand

### Reagent Reservoirs

| Item No. | Description                                    |
|----------|--|
| 9510027  | Reagent, 60 mL                                 |
| 9510037  | Reservoir, 8-well, 10 mL                       |
| 9510047  | Reservoir, 1-well, 100 mL                      |
| 95128085 | Reagent Reservoir, Disposable, 100 mL          |
| 95128095 | Reagent Reservoir, Disposable, 25 mL w/divider |
| 95128093 | Reagent Reservoir, Disposable, 25 mL           |



Reservoirs

# GLP



TECHNIQUES



TOOLS



ERGONOMICS



SERVICE

## Leading provider of innovative pipetting systems

You can improve accuracy and precision when you combine the right pipetting tools, technique, ergonomics, and service with the most critical factor: the skill and expertise of the operator.

Let us show you how with over 50 years of liquid handling experience.



This comprehensive **Good Laboratory Pipetting (GLP) Guide** will help you achieve better results by providing tips on advancing your skills so you can handle anything.





# WolfLabs

**Pricing on any accessories shown can be found by keying the part number into the search box on our website.**

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

**[www.wolflabs.co.uk](http://www.wolflabs.co.uk)**

**Tel : 01759 301142**

**Fax : 01759 301143**

**[sales@wolflabs.co.uk](mailto:sales@wolflabs.co.uk)**

Please contact us if this literature doesn't answer all your questions.