

QS13

12.5Litre Ultrasonic Bath

Ultrawave's **Q-Series** offers outstanding performance for use in medical, scientific, laboratory, chiropody, veterinary and many other professional environments. **Q-Series** Ultrasonic Cleaners are Class I Medical Devices, compliant to MDR (EU) 2017/745.

Incorporating Ultrawave's Frequency Leap Technology, homogenous cavitation activity is generated throughout the ultrasonic bath reducing dead spots and standing waves. This provides a more consistent scrubbing action for excellent results.



The **QS13** is a 12.5Litre heated, digital ultrasonic bath.

The menu driven control panel allows simple adjustment of cycle time (0 to 99 minutes), temperature (ambient to 70°C), ultrasonic power and frequency mode for precise and accurate processing.

Combining features such as degas mode, fluid level sensor and a memory card port, the **QS13** offers repeatable and traceable cleaning performance with consistent cleaning results every time.

Specifications are subject to change for continual improvements

QS13

12.5Litre Ultrasonic Bath

| | |
|--|----------------------------------|
| Construction Case | 304 Stainless Steel |
| Construction Tank | 304 Stainless Steel |
| Control | Digital LCD |
| Overall Dimensions | 375 x 490 x 265mm (WxDxH) |
| Tank Dimensions | 330 x 300 x 150mm (WxDxH) |
| Internal Basket Dimensions | 295 x 265 x 110mm (WxDxH) |
| Maximum Capacity | 13Litres |
| Working Capacity | 12.5Litres |
| Ultrasonic Power | 200W |
| Ultrasonic Power (per litre) | 16W/Litre |
| Operating Frequency | 32 - 38kHz <i>Frequency Leap</i> |
| Maximum Heating Capacity | Ambient - 70°C |
| Heater Power | 300W |
| Timer | 0 - 99 minutes |
| Mains Connection | 230VAC |
| Drain Outlet | 1/2" BSP valve* |
| Lid | ABS Plastic |
| Basket | 304 Stainless Steel |
| Gross Weight (inc. lid, basket & packaging) | 10.9kg |
| Net Weight | 8.25kg |
| Warranty | 3 Years |

*Drain is located at bottom right at the back of the machine



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.