

Sanitiser 5

Ultrasonic Bath

Ultrawave's Sanitiser-Series offers outstanding performance for use in medical, healthcare, scientific, laboratory, chiropody, veterinary and many other professional environments.

Sanitiser-Series Ultrasonic Cleaners are Class I Medical Devices, compliant to MDR (EU) 2017/745.

Cleans and disinfects, when used in conjunction with Ultraclean Disinfect+.

Effective against enveloped viruses (including Coronaviruses), bactericidal, mycobactericidal/tuberculocidal and fungicidal/yeasticidal.



The **Sanitiser 5** is a 4.5Litre heated, digital ultrasonic bath.

The menu driven control panel allows simple adjustment of cycle time (0 to 99 minutes), temperature (ambient to 70°C), ultrasonic power and frequency mode for precise and accurate processing.

Combining features such as degas mode and fluid level sensor, the **Sanitiser 5** offers repeatable cleaning performance with consistent cleaning results every time.

Specifications are subject to change for continual improvements





Sanitiser 5

Ultrasonic Bath

Construction Case Powder coated 304 Stainless Steel

Construction Tank 304 Stainless Steel

Control Digital LCD

Overall Dimensions 335 x 265 x 265mm (WxDxH)

Tank Dimensions 300 x 150 x 150mm (WxDxH)

Internal Basket Dimensions 265 x 115 x 110mm (WxDxH)

Maximum Capacity 5.0Litres

Working Capacity 4.5Litres

Ultrasonic Power 100W

Ultrasonic Power (per litre) 22.2W/Litre

Operating Frequency 32 - 38kHz *Frequency Leap*

Maximum Heating Capacity Ambient - 70°C

Heater Power 150W

Timer 0 - 99 minutes

Mains Connection 230VAC

Drain Outlet 1/2" BSP valve (located at rear of machine)

Lid ABS Plastic

Basket 304 Stainless Steel

Gross Weight 6.5kg

(inc. lid, basket & packaging)

Net Weight 5.5kg

Warranty 1 Year as standard - extend to 3

Years if registered online with us

(within 30days of purchase)









Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.