

## **Qi100** 5Litre Ultrasonic Bath

Ultrawave's **Qi-Series** are robust and reliable, delivering outstanding cleaning performance in a wide range of industries. From precision, pharmaceutical and medical device manufacturing to heavy duty cleaning in automotive and engineering processing. **Qi-Series** Ultrasonic Cleaners are Class I Medical Devices, compliant to MDR (EU) 2017/745.

The 2mm thick stainless steel tank provides longevity and durability whilst excellent ultrasonic activity is generated via Ultrawave's *Frequency Leap* technology.

*Frequency Leap* technology reduces dead spots and promotes homogenous cavitational activity within the tank. This provides a more consistent scrubbing action for highly effective cleaning results.





The **Qi-100** is a 5Litre ultrasonic cleaner with a menu driven, LCD control panel. This allows simple adjustment of cycle time (0 to 99mins or infinity mode), temperature (ambient to 80°C), ultrasonic power and frequency mode for precise and accurate processing.

Incorporating features such as degas mode and a fluid level sensor, the

**Qi-Series** is reliable and durable, giving you consistent cleaning results every time.

Specifications are subject to change for continual improvements

Company Reg VAT No EROI No UW-DC-112-32 2558071 GB 827 1111 60 GB827111160001 Version 3





**Construction Case** 

## **Qi100 5Litre Ultrasonic Bath**

**Construction Tank** Control **Overall Dimensions Tank Dimensions** Internal Basket Dimensions Maximum Capacity Working Capacity **Ultrasonic Power** Ultrasonic Power (per litre) **Operating Frequency** Maximum Heating Capacity **Heater Power** Timer **Mains Connection** Drain Outlet Basket **Gross Weight** (inc. lid, basket & packaging) Net Weight Warranty

**304 Stainless Steel 316 Stainless Steel Digital LCD** 320 x 230 x 295mm (WxDxH) 275 x 128 x 150mm (WxDxH) 250 x 110 x 75mm (WxDxH) **5Litres** 4.5Litres 100W 22W/Litre 32 - 38kHz Frequency Leap Ambient - 80°C 300W 0 - 99 minutes or Continuous 230VAC Lockable <sup>1</sup>/<sub>2</sub>" BSP valve (located at rear of machine) **304 Stainless Steel 304 Stainless Steel** 10kg 8kg

1 Year as standard - extend to 3 Years if registered online with us (within 30days of purchase)

Company Reg 5807 GB 827 1111 60 GB827111160001 UW-DC-112-32 Version 3

**/AT No** 

EROI No

Lid



Pricing on any accessories shown can be found by keying the part number into the search box on our website. The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

## www.wolflabs.co.uk

Tel : 01759 301142 Fax : 01759 301143 sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.