Haier Biomedical

Intelligent Protection of Life Science

Blood Bank Refrigerators

HXC-608









The shelves are adjustable to any height to fulfill different requirements



Three Types of Alarm

Audible buzzer, visible flashing light, remote alarm



Five Alarm Functions

High/low temperature, power failure, senor error, low battery, door ajar

Ergonomic Design



Famous Compressor



Adjustable Shelf And Basket



Condensation Free Design



Intelligent Alarm

Specifications HXC-608

Technical Data

Туре	Basket-Type
Climate Class	ST
Cooling Type	Forced air cooling
Defrost Mode	Auto
Refrigerant	CFC-Free
Noise((dB(A))	43

Performance

Temperature Range (${}^{\circ}$ C)	2~6
Ambient Temperature(℃)	10~38

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/HZ)	220-240/50/60
Power(W)	490W
Electrical Current(A)	3.5

Dimensions

Capacity(L/Cu.Ft)	608/21.5
Blood Storage Capacity (450ml blood bags)	300
Net/Gross Weight(approx)	204/227(kg) 449.7/500.4(lbs)
Interior Dimension(W*D*H)	680*640*1400(mm) 26.8*25.2*55.1(in)
Exterior Dimension(W*D*H)	780*840*1945(mm) 30.7*33.1*76.6(in)
Packing Dimension(W*D*H)	865*945*2090(mm) 34.0*37.2*82.3(in)
Container Load(20'/40'/40'H)	12/26/26



Functions

High/Low Temperature	Υ	
Power Failure	Υ	
Sensor Error	Υ	
Low Battery	Υ	
Door Ajar	Υ	
Remote Alarm	Υ	

Accessories

Caster	Υ
Foot	Υ
Test Hole	Υ
Shelves /Basket	6/24
Drawers/Inner doors	-/3
USB Interface	Optional
Temp Recorder	Υ

Others

Certificate	CE



Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel: 01759 301142

Fax: 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.